



Sport catalog 2025 / 2026

CK CMPITE* Ready to climb


Content:

New Products 6 - 27 Harnesses 28 - 34 Via Ferrata 35 Special sets / Helmets 36 - 51 Carabiners & Belays 52 - 55 Express & Open Slin 56 - 59 Cams & Stoppers 60 - 61 Ropes & Climbing Shoes 62 - 63 Crampons & Ice Axes 64 - 65 Sleeping bags 66 - 71 Accessories Promo Material 71 - 74

□ ₩ ₩ ₩



WELCOME!!



FIRST, THANK YOU FOR YOUR LONG-STANDING
PARTNERSHIP AND TRUST. SECOND, YOU HOLD
IN YOUR HANDS OUR NEW CATALOG, WHICH
ONCE AGAIN OFFERS A RANGE OF INTERESTING
PRODUCTS FOR SAFE AND COMFORTABLE
CLIMBING ON VIA FERRATA ROUTES, ON THE
ROCKS, IN THE MOUNTAINS AND IN THE CLIMBING
HALLS.

THE NEW BE SAFE BELAY SET IS DESIGNED
FOR SECURING BEGINNERS AND CHILDREN
ON VIA FERRATA ROUTES – IT IS ONE OF THE
FEW PRODUCTS OF ITS KIND ON THE MARKET.
IT OFFERS RELIABLE FUNCTIONALITY AND
INTUITIVE AND EASY OPERATION EVEN
WITHOUT KNOWLEDGE OF ADVANCED CLIMBING
TECHNIQUES.

THIS YEAR, MR. MAGNET, A CONNECTING ELEMENT FOR VIA FERRATA SETS, ALSO WENT ON SALE. THIS IS A PATENTED SOLUTION THAT WE ARE THE FIRST IN THE WORLD TO OFFER.

THE RESPONSE HAS BEEN VERY POSITIVE, AND SALES HAVE SIGNIFICANTLY EXCEEDED OUR EXPECTATIONS. THANK YOU FOR YOUR INTENSIVE EFFORTS IN SELLING THIS PRODUCT.

AMONG A NUMBER OF SMALLER INNOVATIONS, IT IS WORTH MENTIONING THE DESIGN FACELIFT OF THE SUCCESSFUL STREAK HARNESS AND THE MATCHING MAGNESIUM CHALK BAGS.

WE WILL CONTINUE TO LAUNCH NEW PRODUCTS TOGETHER WITH MARKETING MATERIALS, PHOTOS, AND VIDEOS AS CONTENT FOR YOUR OWN ONLINE COMMUNICATION. THIS IS PART OF OUR STRATEGIC FOCUS ON ONLINE MARKETING AND SALES SUPPORT IN THE DIGITAL ENVIRONMENT. WE BELIEVE THAT ROCK EMPIRE WILL CONTINUE TO BE AN IMPORTANT PART OF YOUR PRODUCT PORTFOLIO AND THAT WE WILL HAVE ANOTHER SUCCESSFUL SEASON TOGETHER.

NEW PRODUCTS

BE SAFE

for via ferrata pg. 28



EXPRESS SLING PROMO PA 25

express slings pg. 52











1B SLIGHT

CUS001

1B SLIGHT is designed for pure sport climbing. Thanks to its low weight and fixed leg loops, it offers maximum comfort and incomparable freedom of movement. You will not even notice that you are wearing this harness. One quick Al buckle on the waist helps quickly and safely adjust it to your size. It has four gear loops and removable back elastic straps. Maximum distribution of fall load throughout the harness.

1 Quick Aluminium buckle – 16 mm.

Innovative ergonomic waist and legs straps.

4 Asymmetric gear loops (5 kg).

Light weight belay loop in a contrasting colour (width 12 mm, 15 kN).

Size: XS, S, M, L, XL

Waist: XS (67-74 cm), S (70-77 cm), M (76-83 cm), L (80-87 cm), XL (85-

Legs: XS (46-51 cm), S (50-55 cm), M (53-58 cm), L (55-61 cm), XL (58-63 cm)

Norm: EN 1227 Weight: 280 g









3B SLIGHT

CUS002

3B SLIGHT is a premium, super comfortable 3-buckle harness. Quick buckles on the legs and waist belt help quickly and accurately adjust the size. This harness will definitely exceed your demanding requirements on the rocks as well as in the mountains. And it is so light that you won't even notice that you are wearing it. Maximum distribution of fall load throughout the harness.

3 Quick Aluminium buckles - 12 mm legs, 16 mm waist.

Innovative ergonomic waist and legs.

4 Asymmetric gear loops (5 kg).

Light weight belay loop in a contrasting color (width 12 mm, 15 kN).

Size: XS, S, M, L, XL

Norm: EN 12277

Waist: XS (67-74 cm), S (70-77 cm), M (76-83 cm), L (80-87 cm), XL (85-

Legs: XS (46-55 cm), S (50-58 cm), M (54-62 cm), L (56-68 cm), XL (59-

69 cm)

Weight: 310 g













CUS003

4B SLIGHT is a 4-buckle harness designed especially for mountains and big walls. Light-weight quick AL buckles on the legs and 2 on the waist make the harness fully adjustable and easy to manipulate. Slot for Helper (ZSD001) on waist belt. Maximum distribution of fall load throughout the

4 Aluminium quick buckles – 12 mm legs, 16 mm waist.

Innovative ergonomic waist and legs.

4 Asymmetric gear loops (5 kg).

Light weight belay loop in a contrasting color (width 12 mm, 15 kN).

Size: XS-M, M-XL Norm: EN 12277

Waist: XS-M (67-85 cm), M-XL (80-100 cm) Legs: XS-M (46-60 cm), M-XL (56-69 cm)

Weight: 321 g









3B SLIGHT

3B SLIGHT s a premium, super comfortable 3-buckle harness. Quick buckles on the legs and waist belt help quickly and accurately adjust the size. This harness will definitely exceed your demanding requirements on the rocks as

CUS002

well as in the mountains. And it is so light that you won't even notice that you are wearing it. Maximum distribution of fall load throughout the harness.

3 Quick Aluminium buckles - 12 mm legs, 16 mm waist.

Innovative ergonomic waist and legs.

4 Asymmetric gear loops (5 kg).

Light weight belay loop in a contrasting color (width 12 mm, 15 kN).

Size: XS, S, M, L, XL

Norm: EN 12277

Waist: XS (67-74 cm), S (70-77 cm), M (76-83 cm), L (80-87 cm), XL (85-

Legs: XS (46-55 cm), S (50-58 cm), M (54-62 cm), L (56-68 cm), XL (59-69 cm)

Weight: 310 g















NOX

CUN001

A very comfortable and versatile sports harness, designed for outdoor climbing routes, but also for the mountains or on via ferrata.

Its main design advantage is the sliding waist, thanks to which the seat can be precisely centred and perfectly adjusted. The climber, for example, always has the gear loops in the ideal desired position.

Sliding belt for precise seat adjustment.

Size adjustment with 3 smooth-running aluminium buckles for easy adjustment of waist and leg belts.

4 reinforced solid gear loops.

Small auxiliary loop at the back for e.g. magnesium bag.

Comfortable soft padding.

Very favourable weight.

Includes storage bag

High-quality European materials and production in the Czech Republic are essential pre-requisites for a long life even with heavy and intensive use.

Sizes: S, M, L Norm: EN 12277

Waist: S (67-85 cm), M (74-92 cm), L (82-100 cm) Legs: S (47-56 cm), M (54-63 cm), L (57-70 cm)

Weight: 338 g















CUA004

3B Akatta is a fully-adjustable and comfortable sport climbing harness and will definitely exceed your demanding requirements on the rocks as well as in the mountains.

3B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.

3 Aluminium QB buckles.

4 gear loops (max. 5 kg). Haul loop (max. 50 kg).

Breathable padding.

Size: XS, S, M, L, XL Norm: EN 12277

Waist: XS (67-74 cm), S (70-77 cm), M (76-83 cm), L (80-87 cm), XL (85-92 cm)

Legs: XS (46-55 cm), S (50-58 cm), M (54-62 cm), L (56-68 cm), XL (59-69 cm)

Weight: 350 g





CUA005

**** 4B AKATTA

4B Akatta is a 4-buckle harness designed especially for sport climbing, multi-pitch and mountaineering. 4B Akatta is a fully-adjustable and comfortable sport climbing harness.

4B Akatta has lightweight padded construction. Breathable padding includes small holes in the foam padding on the waist and legs. Distribution of the force is transmitted around the waist with 4 straps, around the legs with 3 straps. This harness offers maximum comfort and freedom of movement. Optimal distribution of fall load throughout the harness.

4 Aluminium QB buckles. 4 gear loops (max. 5 kg). Haul loop (50 kg). Breathable padding.



Size: XS-M, M-XL Norm: EN 12277 Waist: XS-M (67-85 cm), M-XL (80-100 cm) Legs: XS-M (46-60 cm), M-XL (56-69 cm) Weight: 391 g











GLADIATOR

CUG001

A very comfortable sports harness with maximum padding, wide waist and legs and extra reinforcement in the lumbar region of the back. The harness is designed for multi-pitch climbing, winter mountains, big walls. The combination of durable materials and traditional proven harness construction ensure the harness is long lasting and reliable even with extreme use. Ideal for climbing demanding big walls, but also in the vis and during long sessions

The GLADIATOR harness is the result of several years of development cooperation with top climbers, led by a Spanish specialist in bigwalls and technical climbing. David "Pelut" Palmada has tested countless prototypes and development versions during his extreme technical climbs. Every detail of the product has been rigorously tried, tested and proven.

The result is a superior comfortable harness with many technical details and uncompromising functionality and comfort.





Size: S-M, M-XL Norm: EN 12277 Waist: S - M (73 - 87 cm) M - XL (80 - 100 cm) Legs: S-M (52-62 cm) M - XL (56 - 69 cm) Available in two colors: Red, Blue-Grey Weight: 530 g







GLADIATOR TOP

CUG002

Practical gear carrier for technical and big wall climbing. The sophisticated design, wide shoulder padding, long material loops and other technical details are optimized for carrying and keeping organized large amounts of climbing gear.

This gear carrier, together with the GLADIATOR big wall harness, are the results of a multi-year development project in collaboration with top climbers, led by the Spanish specialist in big wall and technical climbs. David "Pelut" Palmada tested many proto-types during his extreme technical climbs, and the final result is an uncompromising and detailed product that meets every climber's needs.

An ideal aid for organizing material when climbing long routes or for techni-

- 2 long gear loops on each side, adjustable in length.
- Padded, anatomically-shaped shoulder straps.
- · Stitched straps on the shoulders for easier gripping of the harness and putting it on.
- · 2 slots for attaching a radio or other equipment.
- · Loop for attaching a chest ascender.
- · One universal size, adjustable with two circumferential straps.

Note: this product is a gear carrier, it is not a belay device or chest harness.

Material: Nylon, Aluminium Weight: 330 g





CUE001

A universal and light harness used for work, rescue and it is ideal for big wall climbing also. In fact, it is a synthesis of a sport and work harness. It may be used by itself or in combination with the chest harness, as a full-body fall arrest harness. All attachment points are textile.

Adjustable leg loops.

6 Gear loops (5 kg).

2 Positioning loop (15 kN).

Contains reflective material for better visibility under difficult conditions. Strong elastic (accordion-style) strap connecting the legs to the waist belt on the back of the harness.

Size: XS-M, M-XXL Norm: EN 358, EN 813, EN 12277 EN 813: User Max. Weight 120 kg EN 358: User Max. Weight 150 kg Waist: XS-M (70-110 cm), M-XXL (83-130 cm) Legs: XS-M (46-65 cm), M-XXL (55-75 cm) Weight: 707 g



**** STREAK *EU*





The new generation of the popular Streak harness comes with a modern design, improved and more durable materials, and new color options. Thanks to these innovations, the Streak is now more durable, comfortable, and visually appealing than ever before. Its main design advantage is the sliding waist, thanks to which the seat can be precisely centred and perfectly adjusted.

3 Quick buckles. Ergonomic waist and legs. Adjustable leg loops. 4 Gear loops.

Size: S-XL, XXL Norm: EN 12277 Waist: S-XL (75-100 cm), XXL (75-115 cm) Legs: S-XL (53-66 cm), XXL (56-69 cm) Weight: 389 g

The Streak CUS011 is still available













STREAK LADY



Streak Lady is a women's sport climbing harnesses. The ratio between the waist and legs is adjusted to fit measurements of women on this fully adjustable and comfortable harness. The new generation of the popular Streak harness comes with a modern design, improved and more durable materials, and new color options. Thanks to these innovations, the Streak is now more durable, comfortable, and visually appealing than ever before.

The sliding strap on the waist allows ideal placement of the gear loops according to the user's requirements.

3 Quick buckles.

Ergonomic waist and legs.

Adjustable leg loops.

4 Gear loops for the material (5 kg).

Light weight belay loop in a contrasting color (width 12 mm, 15 kN).

The Streak Lady CUS022 is still available

Size: XS-M Norm: EN 12277 Waist: 67-80 cm Legs: 45-60 cm Weight: 351 g









12

STREAK RENTAL

CUS019

Streak Rental is a robust and durable harness for use on indoor climbing walls and as a rental. Design is based on popular Streak harness including the fully adjustable and moveable strap on the waist. Compared to the Streak, it has a better, stronger solution for the belay loop and lower tie in loop, which greatly reduces the risk of tying in improperly. If the gear loop is accidentally used as the belay loop and a fall occurs, it will not rip - keeping the climber from falling to the ground. Streak Rental comes in two sizes.

Reinforced gear loop.

Clear durable pictograms on the outside of the waist belt - illustrated methodical pictures

how to attach and secure

Waist belt includes a small window where bar and QR codes are visible and scanable to.

speed up tracking and inspections during rental use.

XS-M with Red belay loop and S-XL, XXL with Blue belay loop.

Size: XS-M, S-XL, XXL

Norm: FN 12277

Waist: XS-M (67-85 cm), S-XL (75-100 cm), XXL (80-115 cm) Legs: XS-M (46-60 cm), S-XL (53-69 cm), XXL (60-72 cm)

Weight: 345 g











* MADE IN * * EU * * L L *

CUR005

A more advanced version of the very popular RONDA full-body harness. This lightweight, full-body sport harness is the safest type of sport climbing harness thanks to the attachment point above the centre of gravity and is ideal for via ferrata, rope parks, beginners and advanced climbers. It is also a certified harness for work at heights (certified according to EN 361, as a PPE harness).

Thanks to the automatic buckles on the legs, the new version of RONDA SPEED can be easily put on without lifting your feet off the ground. It is therefore also suitable for work or activities even in dirty, wet or muddy environments, or for example when moving in cold conditions, where it allows easy positioning even over several layers of winter clothing. Fastening and unfastening it is very intuitive and comfortable. There is no loss of adjustment of strap lengths, even with gloves on.

- The front tie in point is made up of one loop, which is significantly more **secure** than the usual two-loop design and fundamentally eliminates any possible errors during the process of putting on the harness.
- The safest type of sports climbing harness the tie-in point above the body's centre of gravity.
- 2 quick release buckles for easy adjustment of harness size.
- 1 automatic quick release for properly putting on the harness.
- Automaticquick release buckles on the legs for easy fit without lifting feet off the ground.
- 2 gear loops.
- Made in the Czech Republic.

Size: S-L, L-XL

Body Height: S-L (145-175 cm), L-XL (160-210 cm)

Norm: EN 361, EN 12277

EN 361: User Max. Weight 140 kg

Weight: 762 g



RONDA LOCK * MADE IN *

CUR004

Ronda, our good old all-body harness, newly tuned. Ronda is a light, all-body sport harness recommended for via ferrata, rope parks, beginners and advanced mountaineers.

This innovative harness can also be used for

working at heights, for it complies with EN 361 standard, classifying Ronda

The new Ronda is improved with metal tying points (front, rear) and a new special fast release Al buckle.

- The front tying point consists of a single loop, which is safer than the usual two-loop structure.
- · 4 buckles for the harness setting.
- 1 automatic fast release AL buckles for the harness clamping.
- · 2 material loops.

Size: S-L, L-XL Body Height: S-L (145-175 cm), L-XL (160-210 cm) Norm: EN 361, EN 12277 EN 361: User Max. Weight 140 kg Weight: 751 g



Also, available in black colour. CODE: CUR004









SKILL LITE ADVENTURE CUL003

The full body harness, Skill Lite Adventure is suitable for adventure parks, rope courses and working at heights. Fully adjustable webbing harness to arrest falls. Lightweight buckles allow easy size adjustment. Equipped with two attachment points that meet EU standards (EN 361). Two gear loops. Comes in two sizes.

Two attachment points for fall arrest, in front and back of the harness ring is made of alloy and tested at 15 kN (EN 361). Lightweight buckles allow for quick and easy setup. Two gear loops.

Size: XS-L, L-XL Norm: EN 361, EN 12277 EN 361: User Max. Weight 140 kg Body Height: XS-L (130-170 cm), L-XL (160-210 cm) Weight: 1015 g



HOPI

CUH002

HOPI is a fully adjustable sport climbing harness for our smallest climbers. Conically shaped leg belts fit smaller legs and offer high levels of comfort. One quick buckle on the waist belt helps for quick and safe size adjustments.

Sliding strap on the waist.

3 Quick buckles.

Light weight belay loop in a contrasting colour. Quality foam with high dimensional stability. Innovative ergonomic waist and legs.

Available in two colors.

Size: XXS-XS, XS-S Waist: XXS-XS 44-66 cm/ XS-S 54-70 cm Legs: XXS-XS 34- 41 cm/ XS-S 38-45 cm Norm: EN 12277 Weight: 242 g



CUZ002



CUK001

The innovative successor to the legendary Korowai harness, new and safer than ever. This innovative whole-body strap harness is intended primarily for rope climbing facilities, work at heights, safe traversal of via ferratas, adventure parks and ropes course. Unlike its predecessor, the Korowai Pro has a padded strap on the back of the waist belt, increasing your comfort. This padding also includes two gear loops to store any gear you're not currently using or to clip on the carabiners from your via ferrata brake when not being used (when walking).

The durable attachment loop is made from an aluminium alloy that significantly extends the lifetime of this harness compared to regular textile attachment points that are the first to wear through during regular use. You can also use the harness for work at heights with falling risk (primarily on flat or sloped surfaces). For this purpose there is another aluminium loop on the back, serving to arrest any fall.

The harness fits a broad range of sizes, since it is highly adjustable with 7 easy-to-use steel buckles

Two sizes are available (XS-L green, L-XL blue), colour-coded for ease of recognition for example in rental shops. To make it easy to put the harness on, even the leg loops are colour-coded.

- The attachment points are made from a light Aluminium Alloy.
- · Comfortable waist padding.
- · 2 gear loops.
- Many size adjustment options, thanks to 7 easy easy-to-use steel buckles.

Color-coded left and right leg loop and belt.

Front tie-in/attachment point: EN 12277 and EN 813 (140 kg)

Back attachment point: EN 361 (140 kg)

XS-L: waist: 50-80 cm; legs 45-65 cm; body height 140-175 cm; L-XL: waist: 70-130 cm; legs 50-75 cm; body height 160-210 cm; Weight: 10 73 g



A full body harness for children with height up to 130 cm and max. weight 40 kg.

Wide straps and extra leg padding offering increased comfort and easy positioning.

Easy and safety locking of the harness.

Size: uni, for children with height up to 130 cm and max. weight 40 kg. Norm: EN 12277 Weight: 423 g

















RUGRAT

CUR003

An all-body harness for the youngest users with body height up to 130 cm and maximum body weight 40 kg.

Wide, padded leg and back straps will provide your child with maximum

Unlike the standard concept of two front attachement points, this harness has only provided with a single front loop. You will mainly appreciate this safer solution when using the back attachment point.

Thanks to the back attachment point, the harness can be used for other activities, such as rope parks. The harness can be adjusted using 4 buckles. For easier wearing, there is one more (non-removable) buckle.

The harness is comfortable when moving along the ground, as well as when $% \left\{ 1,2,...,n\right\}$ climbing or hanging. Its application range is quite universal, including climbing, outdoor activities, as well as rope parks.

Size: uni, for children with height up to 130 cm and max. weight 40 kg Weight: 495 g









SUPERLIGHT

CUS010

For those who prefer to move on the surface of the glacier, rather than inside it, Rock Empire has designed the ultra-lightweight sit harness, Super Light.

A super light-weight, safe and simple harness specially made for ski touring and use on glaciers.

Leg straps have buckles for easy on and off while wearing crampons or skis. One of the lightest harnesses available.

1 Gear loop. Fully adjustable.

Size: XS-M, M-XL Norm: EN 12277 Waist: XS-M (57-85 cm), M-XL (85-100 cm) Legs: XS-M (43-62 cm), M-XL (62-71 cm) Weight: 152 g

Also in red color.







CUS021

Non padded harness suitable for Via Ferrata and indoor climbing, now from new material and with new bright colors.

The buckles offer better ease of manipulation, which makes the harness even safer during those fun times at heights.

Size: uni Norm: EN 12277 Waist: 57-100 cm Legs: 43-71cm Weight: 405 g



Also, available in black colour. CODE: CUS021







CUV003

Chest harness to be used in combination with a sit harness. Colored tie-in points. Updated with brighter colors and new material.

Color coordinated with Speedy harness. Adjustable shoulders.

Size: uni Norm: EN 12277 Weight: 216 g



Also, available in black colour. CODE: CUV003





SPELEO D

SUS015

Non-padded harness for speleological activities. It is equipped with a webbing protection against abrasion.

Fully adjustable waist and legs.

The D-shaped maillon is part of the product.

4 Gear loop (5 kg).

4 QB buckles 20 mm.

Size: uni Norm: EN 12277 Waist: 57-100 cm Legs: 43-71cm

Weight: 898 g





VUS009

Non-padded harness for speleological activities. It is equipped with a webbing protection against abrasion.

Fully adjustable waist and legs. 4 Gear loop (5 kg). 4 QB buckles 20 mm.

Size: uni Norm: EN 12277 Waist: 57-100 cm Legs: 43-71cm Weight: 796 g













CUS012

SPELEO TOP are universal shoulder straps **designed to attach a chest** ascender to a caving harness. Important note: SPELEO TOP is not a safety chest harness!

The size is adjusted with the help of the simple buckles. The straps on the back are crossed and protected by a durable material (TPU).

SPELEO TOP offers a total of 6 gear loops.

The dyneema strap passes through the ascender, which ensures high durability. The ascender can be attached (half-folded) with an aluminium buckle.

The SPELEO TOP offers a wide range of adjustment options and is equipped with well-placed loops for quick storage of working material.

Size: uni Weight: 300 g





SPELEO TOP





CANYON

SVC001

Canyon is a non-padded harness suitable for canyoning. It is a combination of Rock Empire's Speedy and Sit Protection. The Sit Protection can be removed, and the harness can be used for climbing by itself.

The Sit Protection (ZSC003) can be ordered separately if desired.

1 Gear loop (5 kg). Adjustable leg loops. AL buckles.

Size: uni Material: PES Norm: EN 12277 Waist: 57-100 cm Legs: 43-71cm Weight: 572 g





CUC002

Canyon+ is an extra comfortable harness for more demanding canyonists. On the waist belt, it has a breathable, non-absorbent padding.

The plastic sit protection part is made from a durable material with the possibility of replacing it in the case of damage (ZSC005) Sit protec-

Metal ring serves as tie-in point, which is more resistant to intensive use. Webbing under the metal ring and tie-in point is covered by durable

2 gear loops (5 kg). 4 Aluminium quick buckles.

Size: XS-M, M-XXL Norm: EN 12277 Waist: XS-M (67-85 cm), M-XXL (75 - 110 cm) Legs: XS-M (48 - 60 cm), M-XXL (53 - 66 cm) Weight: 870 g







**** CANICROSS **EU* * * * * * * If you like sports and

hesitate to try a sport called "canicross" - running with your dog. Just use your determination to run out and enjoy the moments together with your

ly runs with a dog.

One size.

Reflective strip on waist belt to keep safe while running. Extending tie-in point. Available in three colors.

Size: uni Weight: 167 g





CANICROSS RACE

CUC007

Canicross Race by Rock Empire is an ultralight, ergonomic harness for canicross and dog trekking. The harness is easily adjustable around the hips and legs, allowing it to be customised to a particular physique and to reliably grasp the body.

The back section has a reflective strip for safe exercise even in the dark.

How is Canicross Race different from other harnesses? The front, smoothly adjustable section allows you to harness your dog with free traction in all directions, or the simple clip system can be used to fix the attachment point of the harness in a single position.

The harness meets IFFS* requirements: 7 cm height of lower back support.

Leg straps allow ideal support and perfect fit during a run.

Easily adjustable waist and leg area.

Adjustable length of attachment point.

Ability to harness the dog, allowing free movement to the sides, or instead to create a fixed attachment point.

Extremely lightweight and breathable.

Reflective strip for safe exercise even in the dark.

Waist fastening - Aluminium quick-release. Leg fastening - strong plastic buckle.

Black or blue color.

Size: waist: between 63-110 cm, easily adjustable.

Lightweight and appropriate for pulling by small and large dog breeds.

Available in two colors.

Size: uni Weight: 154 g







CUC006

If you like sports and spend time with your four-legged pet, so do not

An ultra-light, ergonomic harness for canicross, dog trekking and leisure-

HARNESSES



ARNESS	CODE		WEIGHT (g	SIZE	WAIST (cm)	LEG LOOPS (cm)	COLOURS	NORMS
SLIGHT	CUS001		248	XS	67-74	46-51	Black-Aqua	CE EN 12277
			259	S	70-77	50-55		
			260	M	76-83	53-58		
			280	L	80-87	55-61		
			294	XL	85-92	58-63		
SLIGHT	CUS002		274	XS	67-74	46-55	Black-Lime	CE EN 12277
			286	S	70-77	50-58	Black-Aqua	
			308	M	76-83	54-62		
			310	L	80-87	56-68		
			320	XL	85-92	59-69		
SLIGHT	CUS003		321	XS-M	67-85	46-60	Black-Red	CE EN 12277
			324	M-XL	80-100	56-69		
X	CUN001		335	S	67-85	47-56	Green, Blue, Grey	CE EN 12277
			338	M	74-92	54-63	, , , ,	
		TA TA TA	341	Ľ	82-100	57-70		
		00000						
AKATTA	CUA004		325	XS	67-74	46-55	Black-Aqua	CE EN 12277
			333	S	70-77	50-58		
			334	M	76-83	54-62		
			350	L	80-87	56-68		
			360	XL	85-92	59-69		
AKATTA	CUA005		370	XS-M	67-85	46-60	Black	CE EN 12277
			391	M-XL	80-100	56-69		
	-							
REAK RENTAL	CUS019		335	XS-M	67-85	46-60	White-Red	CE EN 12277
			345	S-XL	75-100	53-69	White-Blue	
			352	XXL	80-115	60-72	White-Blue	
REAK LADY RED	CUS022 / CUS028		364/351	XS-M	67-80	45-60	Red	CE EN 12277
REAK	CUS011 / CUS026		409/389	S-XL	75-100	53-66	Blue	CE EN 12277
			456/436	XXL	75-115	56-69		
		0000						
JIP BELT	CUE001		665	XS-M	70-105	48-68	Black-Orange	CE EN 358, EN 813, EN 12277
		A	707	M-XXL	83-130	55-75		

HARNESSES



HARNESS	CODE			WEIGHT (g	SIZE	WAIST (cm)	LEG LOOPS (cm)	COLOURS	NORMS
LADIATOR	CUG001			530	S-M	73 - 87	52 - 62	Red and Blue-Grey	CE EN 12277
				532	M-XL	80-100	56 - 69		
ILADIATOR TOP	CUG002			330	one size			Red-Black	
RONDA SPEED	CUR005			738	S-L	Body height		Green-Aqua	CE EN 12277, EN 361
				762	L-XL	(S-L) 145-175/ 160-210	(L-XL)		
		M							
ONDA AL LOCK	CUR004			720	S-L	Body height (S-L) 145-175/	(I-XI)	Green-Aqua	CE EN 12277, EN 361
		57		751	L-XL	160-210	(E/KL)		
SKILL LITE ADVENTU	JRE CUL003	M		980	XS-L	Body height 130-170		Black-Orange	CE EN 12277, EN 361
				1015	L-XL	160-210			
OROWAI PRO AL	CUK001	M	1.6	1073	XS-L	Body height		Black-Green	CE EN 361, EN 12277, EN
				1167	L-XL	140-175 160-210		Black-Blue	813
SUPERLIGHT	CUS010			146	XS-M	57-85	43-62	Black	CE EN 12277
				152	L-XL	85-100	62-71		
SPEEDY	CUS021			405	one size	57-100	43-71	Lemon-Aqua and Black	CE EN 12277
EIGHT VARIO	CUV003		88	216	one size		-	Aqua-Grey and Black	CE EN 12277

es New

Harnes

Via Ferrat

pedal sets

Helmets

carabiners & Belays

xpress & Open Slings

Stoppers

Ropes & Climbing shoes

lce Axes

bags

ccessories

Promo Material

HARNESSES



ARRIEGGEG								· · · · · · · · · · · · · · · · · · ·
HARNESS	CODE		WEIGHT (g	SIZE	WAIST (cm)	LEG LOOPS (cn	n) COLOURS	NORMS
OPI	CUH002		242 249	XXS-XS XS-S	44-66 54-70	34-41 38-45	Blue and Pink Blue and Pink	CE EN 12277
JNI	CUZ001		346	one size for children with height up to 130 cm and max. weight 40 kg	one size	one size	Black-Aqua-Lemon	CE EN 12277
JGRET	CUR003		495	one size for children with height up to 130 cm and max. weight 40 kg	one size	one size	Green-Orange-Grey	CE EN 12277
ELEO D	SUS015		898	one size	57 - 100	43 - 71	Black-Red	CE EN 12277
ELEO TOP	CUS012		300	one size	one size	one size	Black-Red	CE EN 12277
PELEO	VUS009		796	one size	57 - 100	43 - 71	Black-Red	CE EN 12277
NYON	SVC001		572	one size	57 - 100	43 - 71	Black-Red	CE EN 12277
NYON+	CUC002		870 875	XS-M M-XXL	67-85 75-110	48-60 53-66	Black-Blue	CE EN 12277
ANICROSS	CUC006	一个一个	167	one size	one size	one size	Red Black Blue	
ANICROSS RACE	CUC007		154	one size	one size	one size	Blue Black	

roducts

larnesses

ets & errata

Helme Via Feri

opedal of

Helmets

arabiners & Belays

Express & Open Slings

Stoppers

Ropes & Climbing shoes

cramapons & Ice Axes

bags

Accessories

terial



BE SAFE

* MADE IN

CSL008



Via ferrata belay set – safe and effective belaying set for beginners.

A complete belay set designed specifically for belaying children and beginners on secured via ferrata routes. Thanks to its ingenious design, it allows for comfortable and effective belaying and is also suitable for users who are not proficient in more advanced climbing techniques.

The set consists of a steel belay segment, an 8-mm rope with a length of 15 m, a high-strength carabiner, a swivel carabiner, and a very practical bag. The classic high-strength carabiner is used for belaying (pulling up) the climber, and the small swivel carabiner is used for unspooling the rope during the lead climber's ascent.


The belay segment is based on the proven principle of a locking effect, allowing for easy and smooth release and, if necessary, lowering of the second climber. Unspooling the rope during the ascent is extremely comfortable with minimal rope resistance (only about 1 kg of pulling force required), so it does not hinder the lead climber's progress on the via

The ergonomic design of the bag is conceived with an emphasis on a firm and stable attachment to the body. The bag has a separate belt and therefore fits very well on the body even during more demanding climbing. Its shape also allows for smooth unspooling of the rope when climbing and then easy insertion of the rope back into the bag while the lower climber is climbing up. An integral part of the bag is also a distinctive label with safety instructions. The BE-SAFE belay set is a reliable and technically sophisticated solution for belaying beginners on via ferrata routes.

Specifications:

Rope: 8 mm / 15 m

Materials: Stainless steel, polyamide (PA), polyester (PES) Certification: EN 15151-2 (belay device), EN 12275 (carabiner) Weight: 1250 g





MR. MAGNET

CSL006

MR. MAGNET is a unique Rock Empire-developed accessory for connecting the arms of a Via Ferrata set and is the first of its kind in the world. It is a tiny device that easily attaches to the arms of most Via Ferrata sets and is best placed just below the carabiners of the Via Ferrata set. Thanks to the magnets on the device, the two arms of the Via Ferrata set are firmly connected to each other until light force is used to separate them. The attachment, connection and separation of the two parts of the MR. MAGNET is very simple and intuitive.

Any fan of Via Ferrata climbing is well aware of the situation where MR. MAGNET will be extremely useful: climbing around anchor points. Typically, the user stops, moves the upper arm and carabiner over an anchor, and the lower arm of the Via Ferrata set slides down the cable. The user has to reach down for it each time, which is neither comfortable nor pleasant.

In many situations or higher difficulties, it can even be dangerous. MR. MAGNET solves this situation simply and beautifully.

MR. MAGNET connects and keeps the two arms together.

Throughout a climb, the lower arm of the Via Ferrata set always stays close to the upper one.

So, when the user connects the upper arm over an anchor, the lower arm and carabiner stay within reach; the lower arm does not slide down away from the user's easy reach. MR. MAGNET keeps both arms close at hand and easy to reach for a safe climb around each

MR. MAGNET is a clever, unique solution offered only by ROCK EMPIRE and is included as part of the Set: Magnetic Siga.

Specifications:

Dimensions: 62x32x24 mm Weight: 22 g

Applicability: for a maximum strap/arm width of 22 mm















CTD004

The lightweight, modern ROCK EMPIRE SIGA Via Ferrata set is equipped with large, yet very lightweight, palm carabiners that are easy to handle and allow connection to cables and anchors of larger diameters. The handling of these state-of-the-art Via Ferrata carabiners is very intuitive, thanks to their ergonomic shape, sophisticated design and optimal angle of opening, which makes for comfortable and safe handling. The easy operation of the internal mechanism and the easy handling of these new carabiners contribute significantly to the comfort and safety of the user even on demanding mountain

The ultra-compact fall absorber of the SIGA meets the highest standards for safety in the mountains. The absorber bag is very small and has a rounded shape, which means that it does not get in the way during climbs on the routes. The shape also minimizes the risk of getting caught on rock edges and protrusions.

The SIGA set also has an integrated steel swivel, which reduces the twisting and knotting of the arms of the set when clipping on and off the cables. The swivel includes a steel loop for attaching a carabiner in the event of the need to unhook or hook into an anchor point.

Key Features:

- Modern carabiners with ergonomic design for intuitive operation.
- Ultra-compact fall absorber.
- Elastic arms for easy handling and instant accessibility to each carabiner at your fingertips.
- Swivel that reduces the twisting of the Via Ferrata's arms.
- Extra steel loop for attaching a carabiner.

Also available as a set with Mr. Magnet: Magnetic Siga SFS002.



Materials: Aluminum, polyester, nylon, stainless steel Certification: CE, EN 958:17 Arm length: 60 cm, 90 cm when extended Carabiner dimensions: 170x85 mm Carabiner opening: 24 mm For users weighing: 40 to 120 kg Weight: 586 g





Conclusion:

Very easy to use and very reasonably priced via ferrata set with large carabiners.



DYNATWIST LITE

The innovative ROCK EMPIRE DYNATWIST LITE via ferrata fall arrest lanyard is an improved version of the long-time, popular DYNATWIST model. Its main advantage is the included swivel, which prevents the elastic arms of the set from becoming crossed. The swivel also includes a metal loop for attaching a carabiner to and is designed for resting or waiting during while on a via ferrata route.

The new DYNATWIST LITE design has a very small absorber bag with a compact and rounded shape, and, as a result, it does not get in the way during movement on the route and minimizes the risk of potential snagging on edges and protrusions on the rock. There is also an activation indicator for checking easily the status of the absorber.

CTD005

Material: PA, Aluminium Alloy Norm: EN 12275. EN 958:17 Weight: 536 g



* * * * * MADE IN * * **EU** * **DYNATWIST**

DYNAGO

* MADE IN *

The main advantage of this innovative lanyard set is the **swivel**, connecting the two elastic "arms" to the fall arrest absorber webbing. The swivel segment ensures that the arms are not tangled in climbing and jumping. The carabiners have a palm lock ensuring perfect snap comfort. In addition, the swivel segment is also equipped with a loop for attaching the carabiners, which can be used in cases of resting, sitting or fixed protection.

This Via Ferrata lanyard is for all users, from children to adults weighing between 40-120 kg.

CTD002

Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:17 Weight: 631 g

CTD003

The DynaGo energy absorber for Via ferrata is the first Material: PA, Aluminium Alloy and basic from our range of sports absorbers. It differs from Dynamax and Dynatwist in lower price, it has no Weight: 555 g metal element between the elastic arms and the energy absorber. The strength eye for sitting down when

This Via Ferrata lanyard is for all users, from children to adults weighing between 40 -120 kg. Innovative, more durable bag containing the webbing.

Norm: EN 12275, EN958:17



* MADE IN * * **EU** *

FERRATA CONNECT

resting or securing is made of textile.

A special loop designed to connect the seat and chest of a climbing harness for use on Via Ferratas. It is the successor to the Lanyard Y PA product.

Thanks to the FERRATA CONNECT, harnessing up and tying in is now more comfortable, faster and safer. You don't have to be able to tie a classic knot, just use the FERRATA CONNECT, run it through the belay loops of the chest and seat of the harness and connect it to the carabiner. The product also includes an Anti Slip device for fixing the carabiner properly in place in the loop of the strap.

It can be used with any kind of safety carabiner (EN 362:B, EN 12275:H). It is available in two lengths.

CSF015 / CSF020

Material: PAD Norm: EN 566 Length: 15 / 20 cm Weight: 30 / 36 g











* MADE IN * * EU *

*** DYNATWIST LITE STREAK EVO

The complete ferrata set includes a lightweight universal Streak harness together with a Dynatwist LITE shock absorber and helmet Galeos Evo. Streak is a sports harness model, fully padded and

adjustable with a buckle at the waist for comfortable size adjustment.

Shock absorber can be used in the range of 40-120 kg of the climber's weight, so the set is suitable for children.

Also available in set without helmet. Code: SDS004

The complete ferrata set includes a lightweight uni-

Streak is a sports harness model, fully padded and adjustable with a buckle at the waist for comfortable

Shock absorber can be used in the range of 40-120

kg of the climber's weight, so the set is suitable for

Also available in set without helmet. Code: SDS002

versal Streak harness together with a Dynatwist shock

*** DYNATWIST STREAK EVO

absorber and helmet Galeos Evo.

SDS005

Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:2017 Weight: 1087 g







The complete ferrata set includes a lightweight harness Speedy together with a chest harness Eight Vario, DynaGo shock absorber + Ferrata connect for easy and secure connection of the chest harness with the seat harness. Also includes HMS Smart 2T carabiner and helmet Galeos Evo.

DynaGo has no metal element between the elastic arms and the energy absorber. The reinforced loop for securing yourself when resting is made of textile. Harness size S-XL.

The climber's weight for the absorber is from 40 to

Also available in set without helmet. Code: SFG011

The complete ferrata set includes a full body harness

The new Ronda is improved with metal tying points (front, rear) and a new special fast release Al buckle. The front tying point consists of a single loop, which is

Dynatwist: The main advantage of this lanyard set is the swivel, connecting the two elastic "arms" to the fall

The swivel segment ensures that the arms are not

Also available in set without helmet. Code: SDR002

Ronda Al Lock together with a DynaTwist shock

* DYNATWIST RONDA EVO

safer than the usual two-loop structure.

arrest absorber webbing.

tangled in climbing and jumping.

SFG012

Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:2017 Weight: 1247 g

Ö



Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:2017 Weight: 1087 g

SDS003





The complete ferrata set includes a lightweight universal harness Streak together with a DynaGo shock absorber and helmet Galeos Evo.

Streak is a fully-adjustable and comfortable sport climbing harness.

ing between 40 -120 kg.

SGS002

Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:2017 Weight: 1041 g

DynaGo is for all users, from children to adults weigh-

Also available in set without helmet. Code: SGS001

SFT003

Material: PA, Aluminium Alloy Norm: EN 12275, EN 958:2017

Weight: 1323 g



32



FERRATA TWIST EVO

The complete ferrata set includes a lightweight harness Speedy together with a chest harness Eight Vario, DynaTwist shock absorber + Ferrata connect for easy and secure connection of the chest harness with the seat harness. Also includes HMS Smart 2T carabiner and helmet Galeos Evo.

DynaTwist has the swivel, connecting the two elastic "arms" to the fall arrest absorber webbing. The swivel segment ensures that the arms are not tangled in climbing and jumping.

Harness size S-XL.

The climber's weight for the absorber is from 40 to

Also available in set without helmet. Code: SFT002





DYNAGO RONDA EVO

The complete ferrata set includes a full body harness Ronda Al Lock together with a DynaGo shock absorber and helmet Galeos Evo.

The new Ronda is improved with metal tying points (front, rear) and a new special fast release Al buckle. The front tying point consists of a single loop, which is safer than the usual two-loop structure.

The DynaGo energy absorber for Via ferrata is the first and basic from our range of sports absorbers. It differs from Dynatwist that it has no metal element between the elastic arms and the energy absorber. The strength eye for sitting down when resting or securing is made

Also available in set without helmet. Code: SGR002

SGR003

SDR003

Weight: 1379 g

Material: PA, Aluminium Alloy

Norm: EN 12275, EN 958:2017

Material: PA, Aluminium Alloy Norm: EN 12275, EN958:2017 Weight: 1303 g

SRB012





* * * * * ROCKER

ZSG003

Half fingered synthetic gloves intended for via ferrata and work with rope. Synthetic leather gloves with padding and stretch fabric.

Synthetic leather. Reinforcement of Kevlar. Velcro wrist tightening. Hole on the lower wrist for easier donning. Strap between 3rd and 4th finger for ease of



BELAY SET TWIN

TWIN is a proven rappelling and belay device with an innovative patented design.

It can be used for belaying a lead, pulling in the slack on one or two secondary climbers and for abseiling. It is intended for sports climbing, multi-pitch climbing or mountain climbing.

double ropes.

V-shaped friction surfaces allow for controlled braking. Patented construction in the suspension section.



Appropriate for belaying and abseiling with simple or

The rounded shape of the rope grooves reduce rope wear and extend the lifetime of the brake. When belaying, a carabiner placed in the release open-

ing allows the belayer to loosen a rope under tension. Carabiner 2Tap 2T is HMS Aluminium Carabiner with Twist-lock system and safety latch.







GALEOS EVO

A durable, lightweight, versatile and very comfortable helmet for sport climbing, mountaineering, hiking and

The long-proven combination of high-density EPS foam and a low-profile polycarbonate outer shell ensures excellent shock absorption (impact protection) and increased durability of the helmet surface.

The deliberately simple, timeless design of the outer shell is complemented by sophisticated 3D-molded inner padding that makes the helmet fit perfectly on the head of virtually any user. The proven rotary wheel size adjustment system is ideal for quick and easy size adjustment and contributes to the helmet's perfect fit on the climber's head. All 11 ventilation holes are evenly distributed around its circumference and ensure very effective ventilation even during intense activities or hot summer days.

The versatile GALEOS EVO climbing helmet is the

- size, with the rotary wheel, is very intuitive and functional.
- The inner padding is completely removable so it can be washed, the mesh material wicks away sweat very well.
- The padded chin strap fixes the helmet in the optimal position. It is long enough for use with a balaclava or scarf in colder conditions.
- Clips to securely attach any standard headlamp



Sizes: S-M (head circumference 55-60 cm) L-XL (head circumference 57-63 cm) Norm: EN 12492

ZTH008

Weight: S-M 272 g L-XL 306 g

optimal combination of durability, fit, light weight and affordable price. The clear choice for safety in all mountain activities.

- The most popular way of adjusting the helmet



ALUMINIUM CARABINERS



SWIFT CLICK

A carabiner for situations where the bolt of ring is just a little bit too high for you to reach, but you desperately need to clip on. The wire backstop holds the lock open, any light pressure from the edge of the bolt of ring will automatically close the carabiner. We recommend using Swift Click in combination with a reinforced quickdraw or clipping pole.

ZRC057

Material: Aluminium Alloy Major axis strength: 22 kN Minor axis strength: 7 kN Open gate strength: 7 kN Gate opening: 17 mm Norm: EN 12275 Weight: 36 g





HMS SMART 2T

Light, small and for good price. New twist lock carabiner HMS Smart 2T. K-Lock ensures effective locking of carabiner.

Excellent price / performance ratio.
Twist-lock gate (2T).
K-lock system.
Certified for both sport and industrial use.



Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 8 kN Open gate strength: 6 kN Gate opening: 21mm Norm: EN 12275, EN 362 Weight: 76 g





SWIFT

Very light carabiner with a bent wire lock suitable for express set or climbing in mountains and ice.

The wire lock reduces the weight of the carabiner and, above all, does not freeze or fill with sand. In addition, the low weight of the wire latch minimizes the risk of the carabiner opening when striking a rock.

Very low weight. It does not freeze. Bent lock.



Material: Aluminium Alloy Major axis strength: 22 kN Minor axis strength: 7 kN Open gate strength: 7 kN Gate opening: 17 mm Norm: EN 12275 Weight: 33 g



HMS SMART 3T

Light, small and for good price.

Angled Keylock prevents unwanted catch on the rope, loop, or harness.

Tri-lock system (3T) ensures effective locking of

Tri-lock system (3T) ensures effective locking of carabiner.

Certified for both sport and industrial use. Tri-lock system (3T). Angled Keylock. One color.



Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 8 kN Open gate strength: 6 kN Gate opening: 21 mm Norm: EN 12275, EN 362 Weight: 77 g





RACER STRAIGHT

Light, small and compact locking carabiner. Angled Keylock prevents unwanted catch on the rope, loop, or harness.

Low weight. In three colours. K- lock system.



ZRC046

Material: Aluminium Alloy

Major axis strength: 24 kN

Minor axis strength: 9 kN

Open gate strength: 8 kN

Gate opening: 22 mm

Norm: EN 12275

Weight: 48 g

Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 9 kN Open gate strength: 8 kN Gate opening: 20 mm Norm: EN 12275 Weight: 47 g



HMS MAGNUM S

HMS carabiner with screw lock.
Certified for sports and industrial use.
The keylock design locks securely and does not catch slings, ropes or harnesses.

Minimal weight and high strength. Screw Lock. K-lock system. Ergonomic shape.

ZRC031

Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 8 kN Gate opening: 24 mm Norm: EN 12275, EN 362 Weight: 90 g





RACER BENT

Lightweight multipurpose carbiner with full lock. Ideal as a bottom carabiner in quickdraws or as a separate carabiner in traditional and sport climbing. Angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.

Low weight.
Bent lock.
K-lock system.

HMS SMART S





HMS MAGNUM 2T

MS carabiner with Twist- lock system.
Certified for sports and industrial use.
The keylock design locks securely and does not catch slings, ropes or harnesses.

Minimal weight and high strength. Twist- lock system. K-lock system. Ergonomic shape

ZRC032

Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 8 kN Gate opening: 24 m Norm: EN 12275, EN362 Weight: 96 g





Lig

Light, small and for good price.

Angled Keylock prevents unwanted catch on the rope, loop, or harness.

Screw lock ensures effective locking of carabiner.

Screw Lock.
Angled Keylock.
Three colours.
Certified for both sport and industrial use.

ZRC050

Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 8 kN Open gate strength: 6 kN Gate opening: 21 mm Norm: EN 12275, EN 362 Weight: 68 g



HMS MAGNUM 3T

MS carabiner with Tri- lock system. Certified for sports and industrial use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Minimal weight and high strength Tri- lock. K-lock system. Ergonomic shape.

ZRC033

Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 8 kN Gate opening: 24 mm Norm: EN 12275, EN 362 Weight: 96 g

Ö





RACERS

Light, small and compact locking carabiner. Angled Keylock prevents unwanted catch on the rope, loop, or

Screw lock ensures effective locking of carabiner. Certified for both sport and industrial use.

Screw Lock. K-lock system. In three colors.

ZRC047

Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 9 kN Open gate strength: 8 kN Gate opening: 17 mm Norm: EN 12275, EN 362 Weight: 53 g



OPUS 2T

Aluminium Carabiner with Twist - Lock system. Certified for sports and industrial use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist - Lock. K-lock system.



Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 7 kN Gate opening: 20 mm Norm: EN 12275, EN 362 Weight: 74 g



2 TAP S

HMS carabiner with screw lock and safety latch. The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of

Certified for sports and industrial use. The screw lock ensures effective locking of the carabiner.

Screw Lock. K-lock System. Safety Latch.



Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 7 kN Open gate strength: 6 kN Gate opening: 22 mm Norm: EN 12275, EN 362 Weight: 84 g



OPUS 2T BLACK

Aluminium Carabiner with Twist - Lock system. Certified for sports and industrial use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist - Lock. K-lock system.



Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 7 kN Gate opening: 20 mm Norm: EN 12275, EN 362 Weight: 74 g



2 TAP 2T

HMS carabiner with twist lock and safety latch. The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of the user.

Certified for sports and industrial applications. The twist lock ensures effective locking of the cara-

Twist Lock. K-lock System. Safety Latch.



Material: Aluminium Allov Major axis strength: 24 kN Minor axis strength: 7 kN Open gate strength: 6 kN Gate opening: 22 mm Norm: EN 12275, EN 362 Weight: 86 g



OPUS 3T

Aluminium Carabiner with Tri- Lock system. Certified for sports and industrial use. The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri - Lock. K-lock system.



ZRC060

Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 7 kN Gate opening: 20 mm Norm: EN 12275, EN 362 Weight: 75 g



2 TAP 3T

HMS carabiner with Tri-lock system and safety latch. The safety latch fixes the position of the carabiner in sit harness belay loop. It increases the peace of mind of

Certified for sports and industrial use.. The Tri-lock ensures effective locking of the carabiner.

Tri-lock. K-lock System. Safety Latch.



Material: Aluminium Alloy Major axis strength: 24 kN Minor axis strength: 7 kN Open gate strength: 6 kN Gate opening: 22 mm Norm: EN 12275, EN 362 Weight: 91 g

CARABINER SGM

Special D-shaped carabiner, typically designed for caving activities, designed to withstand stresses in all three directions.

Especially suitable for harnesses with two connecting loops, e.g. Rock Empire SPELEO. The carabiner can be easily clicked through both loops plus, for example, a rappelling, braking device or another attachment or positioning device.

ZRC063

Material: Aluminium Alloy Major axis strength: 20 kN Minor axis strength: 15 kN Open gate strength: 7 kN Gate opening: 16 mm Norm: EN 12275, EN 362

Weight: 102 g



OPUSS

Aluminium Carabiner with screw lock. Certified for sports and industrial use. The screw lock ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock. K-lock system.



Material: Aluminium Alloy Major axis strength: 26 kN Minor axis strength: 10 kN Open gate strength: 7 kN Gate opening: 20 mm Norm: EN 12275, EN 362 Weight: 71 g



ACCESSORY CARABINER AL 2T

Auxiliary carabiner with 2T lock.

Suitable for attaching tools, accessories, climbing shoes, etc. to harness. Available in two colors. Black and silver. Strength 10 kN!

ZRC062

Major axis strength: 10 kN Gate opening: 13 mm Dimension: 80 x 45 mm Material: Aluminium Weight: 30 g



STEEL CARABINERS



CARABINER INDOOR

Steel carabiner Indoor with wire lock. Targeted not only on climbing walls, but also outdoor. The wire lock reduces the weight of the carabiner and, above all, does not freeze or fill with sand. In addition, the low weight of the wire latch minimizes the risk of the carabiner opening when striking a rock.

Very low weight. It does not freeze.

ZRC018

Material: Steel Major axis strength: 25 kN Minor axis strength: 9 kN Open gate strength: 9 kN Gate opening: 26 mm Norm: EN 12275 Weight: 112 g



STEEL CARABINER O KL-2T

Steel Carabiner with Twist - Lock system. Certified for sports and industrial use. The twist-Lock system ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist - Lock. K-lock system

ZRC020

Material: Steel Major axis strength: 28 kN Minor axis strength: 18 kN Open gate strength: 10 kN Gate opening: 16 mm Norm: CE EN 12275, EN 362 Weight: 174 g



HMS MAGNUM STEEL S

Steel HMS carabiner with screw lock. Certified for sports and industrial use. The screw lock ensures effective locking of the cara-

The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock. K-lock system. Ergonomic shape.

ZRC042

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 18 kN Gate opening: 23 mm Norm: EN 12275, EN 362 Weight: 246 g



STEEL CARABINER O KL-2T Black

Steel Carabiner with Twist - Lock system in black color. Certified for sports and industrial use. The twist-Lock system ensures effective locking of the

The keylock design locks securely and does not catch

slings, ropes or harnesses.

Twist - Lock. K-lock system.



Material: Steel Major axis strength: 28 kN Minor axis strength: 18 kN Open gate strength: 10 kN Gate opening: 16 mm Norm: CE EN 12275, EN 362 Weight: 174 g



HMS MAGNUM STEEL 2T

Steel HMS carabiner with Twist-lock system. Certified for sports and industrial use. The Twist-lock ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-lock. K-lock system. Ergonomic shape.



Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 18 kN Gate opening: 23 mm Norm: EN 12275, EN 362 Weight: 253 g



STEEL CARABINER O KL-3T

Steel Carabiner with Tri - Lock system. Certified for sports (EN12275) and industrial (EN362)

The Tri-lock ensures effective locking of the carabiner. The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri- Lock. K-lock system

ZRC034

Material: Steel Major axis strength: 28 kN Minor axis strength: 18 kN Open gate strength: 10 kN Gate opening: 16 mm

ZRC023

Norm: CE EN 12275, EN 362

Weight: 174 g



HMS MAGNUM STEEL 3T

Steel HMS carabiner with Tri-lock system. Certified for sports and industrial use. The Tri-lock ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri-lock. K-lock system. Ergonomic shape.

ZRC044

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 18 kN Gate opening: 23 mm Norm: EN 12275, EN 362 Weight: 254 g

STEEL CARABINER D KL-S

Steel D carabiner with screw lock.

The screw lock ensures effective locking of the cara-The keylock design locks securely and does not catch

Screw Lock. K-lock system.

slings, ropes or harnesses.

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 16 kN Gate opening: 22 mm

Norm: CE EN 12275, EN 362 Weight: 212 g



STEEL CARABINER O KL-S

Steel carabiner with screw lock. Certified for sports and industrial use. The screw lock ensures effective locking of the cara-

The keylock design locks securely and does not catch slings, ropes or harnesses.

Screw Lock. K-lock system.

ZRC021

Material: Steel Major axis strength: 28 kN Minor axis strength: 18 kN Open gate strength: 10 kN Gate opening: 16 mm Norm: CE EN 12275, EN 362 Weight: 172 g



STEEL CARABINER D KL-2T

Steel D carabiner with Twist-Lock system. The Twist-Lock system ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-Lock. K-lock system.

ZRC022

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 16 kN Gate opening: 22 mm Norm: CE EN 12275, EN 362 Weight: 214 g





STEEL CARABINER D KL-2T

Steel D carabiner with Twist-Lock system in black color The Twist-Lock system ensures effective locking of the carabiner.

The keylock design locks securely and does not catch slings, ropes or harnesses.

Twist-Lock. K-lock system.

ZRC039

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 16 kN Gate opening: 22 mm Norm: CE EN 12275, EN 362 Weight: 214 g

STEEL CARABINER D KL-3T

Steel D carabiner with Tri-Lock system. The Tri-Lock system ensures effective locking of the

The keylock design locks securely and does not catch slings, ropes or harnesses.

Tri-Lock. K-lock system.

ZRC035

Material: Steel Major axis strength: 40 kN Minor axis strength: 18 kN Open gate strength: 16 kN Gate opening: 22 mm Norm: CE EN 12275, EN 362 Weight: 215 g



MAILLON O

Steel working carabiner with screw lock. It offers quality and precision in every detail. Certified for sports and industrial use. The screw lock ensures effective locking of the cara-

After tightening the lock with a wrench, you can use the

maillon as a permanent anchor.



Screw Lock.

ZWM008

Material: Steel Major axis strength: 35 kN Minor axis strength: 10 kN Gate opening: 11 mm Diameter: 11 mm Norm: CE EN 362 type Q, EN 12275 Weight: 77 g



MAILLON D

Steel working D Maillon with screw lock. Screw lock.

After tightening the lock with a wrench, you can use the maillon as a permanent anchor.

Certified for sports and industrial use.

ZWM010

Material: Steel Major axis strength: 45 kN Minor axis strength: 10 kN Gate opening: 10 mm Diameter: 13 mm Norm: CE EN 362 type Q, EN 12275 Weight: 153 g





MAILLON DELTA

Triangular Maillon. After tightening the lock with a wrench, you can use maillon as a permanent anchor.

Steel working carabiner with Screw Lock. It offers quality and precision in every detail. Certified for sports and industrial applications. The screw lock ensures effective locking of the carabiner.

ZWM009

Material: Steel Major axis strength: 27 kN Minor axis strength: 10 kN Gate opening: 10 mm Diameter: 11 mm Norm: CE EN 362 type Q, EN 12275 Weight: 88 g



OUICKDRAWS





SET COMBI P16

Very versatile quickdraw COMBI P16 with lightweight multipurpose carbine with full lock and lower carabiner with wire gate for easy click. The wire gate on the carabiner reduces the guickdraw weight and prevent freezing specially in alpine environments. Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.

K-lock system. Combination of Racer Straight and Swift, delivered with rubber Anti Slip band.

SES008

Material: Aluminium Alloy / PA Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 95 g



SET RACER PROMO P25

Quickdraws with Racer Straight and Racer Bent carabiners. Upper multipurpose carbine with full lock. Bottom bent carabiner with the key lock system for smooth clipping and unclipping the rope, angled Keylock prevents unwanted catch on the rope, loop, or

Green carabiners SES016 - 14 cm Blue carabiners SES017 - 19 cm



Material: Aluminium Alloy / PA Sling length: 14 cm, 19 cm Quickdraw strength: 22 kN Strap width: 25 mm

Weight: 118 / 120 g



SET RACER D13

Quickdraws with Racer Straight and Racer Bent carabiners. Upper multipurpose carbine with full lock. Bottom bent carabiner with the key lock system for smooth clipping and unclipping the rope, angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.

Combination of Racer Bent and Racer Straight, delivered with rubber Anti Slip band.

SES012

Material: Aluminium Alloy / Dyneema Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 13 mm Weight: 105 g



SET ROCK PACK COMBI P16

Set of six universal guickdraws Combi P16 with lightweight multipurpose carbine with full lock and lower carabiner with wire gate for easy click.

It does not freeze. Anti Slip Protective Cap. K-lock system. PA 16 mm. Combination of Racer Straight and Swift. Delivered with rubber Anti Slip band.



Material: Aluminium Alloy / Dvneema Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 570 g



SET RACER P16

Quickdraws with Racer Straight and Racer Bent carabiners. Upper multipurpose carbine with full lock. Bottom bent carabiner with the key lock system for smooth clipping and unclipping the rope, angled Keylock prevents unwanted catch on the rope, loop, or harness. It's suitable for those who prefer maximum strength and reliability to low weight.

K-lock system. Combination of Racer Bent and Racer Straight, delivered with rubber Anti Slip band.

SES010

Material: Aluminium Alloy / PA Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 108 g



SET ROCK PACK RACER D13

Set of six universal quickdraws with Racer Straight and Racer Bent carabiners. It's suitable for those who prefer maximum strength and reliability to low weight.

Anti Slip Protective Cap. K-lock system. Dvneema strap 13 mm. Combination of Racer Bent and Racer Straight. Delivered with rubber Anti Slip band.

SES013

Material: Aluminium Alloy / Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 13 mm Weight: 640 g



SET SWIFT D13

Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.

Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.

Delivered with rubber Anti Slip band.

SES006

Material: Aluminium Alloy / Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 13 mm Weight: 76 g



SET ROCK PACK RACER P16

Set of six universal quickdraws with Racer Straight and Racer Bent carabiners. It's suitable for those who prefer maximum strength and reliability to low weight.

Anti Slip Protective Cap. K-lock system. PA 16 mm. Combination of Racer Bent and Racer Straight. Delivered with rubber Anti Slip band.

SES011

Material: Aluminium Alloy Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 660 a



SET ROCK PACK SWIFT D13

Set of 6 quickdraws with light-weight carabiners. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.

Anti Slip Protective Cap. 6 quickdraws per package. Dyneema strap 13 mm, Swift carabiners. Delivered with rubber Anti Slip band.

SES004

Material: Aluminium Alloy / Dvneema Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 13 mm Weight: 456 g

44

SET SWIFT P16

Quickdraws with light-weight carabiners in new, vibrant colours. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alnine environments.

Thanks to the low weight, there is minimal risk of the carabiner opening when impacting against rocks.

Delivered with rubber Anti Slip band.

SES007

Material: Aluminium Alloy / PA Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 80 g



SET ROCK PACK SWIFT P16

Set of 6 quickdraws with light-weight carabiners. The wire gate on the carabiner reduces the quickdraw weight and prevent freezing specially in alpine environments.

Anti Slip Protective Cap. 6 quickdraws per package. PA 16 mm. Swift carabiners. Delivered with rubber Anti Slip band.

SES005

Material: Aluminium Alloy Sling length: 11 cm Quickdraw strength: 22 kN Strap width: 16 mm Weight: 480 g

SEI005/06

Material: PA / Steel Strap width: 25 mm (middle) / 16 mm (ends) Quickdraw strength: 22 kN Sling length: 14 / 19 cm Norm: EN 12275

Weight: 207 / 210 g



SET INDOOR PROMO

Indoor Express Combi P16 with Maillon upper steel carabiner and lower steel wire The Indoor carabiner is designed for climbing walls.

Anti Slip Protective Cap. PA strap 25/16 mm. Combination of Maillon and Indoor Carabiners.

Express sling promo can also be purchased separately. Code: VEP010/11



SET LONG ARM CLICK

Set Long Arm Click serves as an extended arm when connecting the belay point from the climbing position. Extra long, reinforced, stitched webbing for situations where the bolt is just a little bit too high for you to reach, but you desperately need to clip in.

With the Long Arm Click it is easy to engage belay points in situations where we cannot reach from a climbing position to a steadily positioned belay. Reinforced fixed sling and carabiner with a wire backstop, which holds the lock open until you lightly touch the edge of the bolt and the carabiner closes itself.

It is recommended to follow a certain safety rule: as the rigidity of the structure does not allow sufficient flexibility of movement at the belay point, it is advisable to use standard protection subsequently. The wire lock reduces the weight of the carabiner and, above all, does not freeze in alpine conditions! It does not freeze. Webbing Anti Slip protective cap and carabiner fastening on lanyard. Swift carabiners.

Use:

Climber with small stature. Improperly situated belay point. Physical exhaustion. Mental stress.

SEL005 / SEL006

Material: PA /Aluminium Alloy





A) Product Lengths (including carabiners): 42 cm or 51cm B) Functional lengths: 30 cm or 38 cm Strap width: 16 mm Quickdraw strength: 22 kN Weight: 110 g / 118 g





BELAY DEVICES







GYM

TWIN

The Gym is a light belay device that is perfect for climbing on a regular simple rope. It is intended for indoor climbing. When climbing on artificial walls, we don't need the advanced functions of a standard tubular belay device and it would just make things more complicated. You don't have to pull in the slack of another climber to a fixed point, nor abseil down on two ropes, etc. For artificial walls, simple and intuitive solutions are best and GYM is exactly that.

TWIN is a tried and tested abseiling and belaying

device with an innovative patented construction in

its suspension section and a design that allows greater flexibility when attaching to various types of fixed point.

It can be used for belaying a lead, pulling in the slack

on one or two secondary climbers and for abseiling. It

ZRB013

Material: Aluminium Alloy Rope diameter: 8,9-11 mm Weight: 54 g

ZRB019

Material: Aluminium Alloy Weight: 76g

Rope diameter: 7.8 - 10,5 mm

is intended for sports climbing, multi-pitch climbing or mountain climbing.

Appropriate for belaying and abseiling with simple or double ropes.

V-shaped friction surfaces allow for controlled braking.

Patented construction in the suspension section.

The rounded shape of the rope grooves reduce rope wear and extend the lifetime of the brake.

When belaying, a carabiner placed in the release opening allows the belayer to loosen a rope under tension.











EIGHT

A traditional belay and rappelling device that is made from hot forged Al-alloy of high durability.

The ideal shape and size allows descending with one or two ropes.

Rope 9-11 mm.



Also, available in black colour. CODE: ZRB001

ZRB001

Material: Aluminium Alloy Rope diameter: 9 - 11 mm Weight: 104 g

CARABINERS & BELAYS

₩ roc	k
em	pire


CARABINERS	Code	Weight	← ○ → (kN)	○ ‡ (kN)	€0→ (kN)	ప mm	Material	Norms	Colours	Application
SWIFTCLICK	ZRC057	36	22	7	7	17	Aluminium	EN 12275	Red	Sport
SWIFT	ZRC041	33	22	7	7	17	Aluminium	EN 12275	Lime / Grey / Aqua / Purple	Sport
RACER STRAIGHT	ZRC045	47	24	9	8	20	Aluminium	EN 12275	Lime / Purple / Aqua	Sport
RACERBENT	ZRC046	48	24	9	8	22	Aluminium	EN 12275	Lime / Purple / Aqua	Sport
RACER S	ZRC047	53	24	9	8	17	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport/Work
HMS SMART S	ZRC050	68	24	8	6	21	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua / Purple	Sport
HMS SMART 2T	ZRC051	76	24	8	6	21	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport
HMS SMART 3T	ZRC052	77	24	8	6	21	Aluminium	EN 12275 / EN 362	Grey	Sport
HMS MAGNUM S	ZRC031	90	26	10	8	24	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport / Work
HMS MAGNUM 2T	ZRC032	96	26	10	8	24	Aluminium	EN 12275 / EN 362	Lime / Grey / Aqua	Sport / Work
HMS MAGNUM 3T	ZRC033	96	26	10	8	24	Aluminium	EN 12275 / EN 362	Grey	Sport / Work
CARABINER INDOOR	ZRC018	112	25	9	9	26	Steel	EN 12275	Silver-Orange	Sport
2 TAP S	ZRC054	84	24	7	6	22	Aluminium	EN 12275 / EN 362	Lime/ Aqua	Sport / Work
2 TAP 2T	ZRC055	86	24	7	6	22	Aluminium	EN 12275 / EN 362	Lime/ Aqua	Sport / Work
2 TAP 3T	ZRC056	90	24	7	6	22	Aluminium	EN 12275 / EN 362	Grey	Sport/Work
OPUS O-S	ZRC058	71	26	10	7	20	Aluminium	EN 12275 / EN 362	Grey-Red	Sport/Work
OPUS 0-2T	ZRC059	74	26	10	7	20	Aluminium	EN 12275 / EN 362	Grey-Red	Sport / Work
OPUS O-2T BLACK	ZRC059	74	26	10	7	20	Aluminium	EN 12275 / EN 362	Black	Sport/Work
OPUS O-3T	ZRC060	75	26	10	7	20	Aluminium	EN 12275 / EN 362	Grey-Red	Sport/Work
CARABINER SGM	ZRC063	102	20	15	7	16	Aluminium	EN 12275 / EN 362	Silver-Orange	Sport/Work
HMS MAGNUM STEEL S	ZRC042	246	40	18	18	23	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
HMS MAGNUM STEEL 2T	ZRC043	253	40	18	18	23	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
HMS MAGNUM STEEL 3T	ZRC044	254	40	18	18	23	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STEEL CARABINER O KL-S	ZRC021	172	28	18	10	16	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STEEL CARABINER O KL-2T	ZRC020	174	28	18	10	16	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STELL CARABINER O KL-2T BLACK	ZRC040	174	28	18	10	16	Steel	EN 12275 / EN 362	Black	Sport/Work
STEEL CARABINER O KL-3T	ZRC034	174	28	18	10	16	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STEEL CARABINER D KL-S	ZRC023	212	40	18	16	22	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STEEL CARABINER D KL-2T	ZRC022	214	40	18	16	22	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
STEEL CARABINER D KL-2T BLACK	ZRC039	214	40	18	16	22	Steel	EN 12275 / EN 362	Black	Sport/Work
STEEL CARABINER D KL-3T	ZRC035	215	40	18	16	22	Steel	EN 12275 / EN 362	Silver-Orange	Sport/Work
MAILLON O	ZWM008	77	35	10	11	11	Steel	EN 12275 / EN 362	Silver	Sport/Work
MAILLON D	ZWM010	152	45	10	10	13	Steel	EN 12275 / EN 362	Silver	Sport / Work
MAILLON DELTA	ZWM009	86	27	10	10	11	Steel	EN 12275 / EN 362	Silver	Sport / Work

CARABINERS & BELAYS



QUICKDRAWS	Code	Weight (g)	Sling Material	Carabiner Material	(kN)	(cm)
SET SWIFT D13	SES006	76	Dyneema 13 mm	Aluminium	22	11
SET ROCK PACK SWIFT D13	SES004	456	Dyneema 13 mm	Aluminium	22	11
SET RACER D13	SES012	105	Dyneema 13 mm	Aluminium	22	11
SET ROCK PACK RACER D13	SES013	640	Dyneema 13 mm	Aluminium	22	11
SET COMBI P16	SES008	95	PA 16 mm	Aluminium	22	11
SET ROCK PACK COMBI P16	SES009	570	PA 16 mm	Aluminium	22	11
SETSWIFTP16	SES007/SES014	80/87	PA 16 mm	Aluminium	22	11
SET ROCK PACK SWIFT P16	SES005	480	PA 16 mm	Aluminium	22	11
SETRACER P16	SES010	108	PA 16 mm	Aluminium	22	11
SET ROCK PACK RACER P16	SES011	660	PA 16 mm	Aluminium	22	11
SET RACER PROMO P25	SES016/SES017	118/120	PA 25 / 14/19 mm	Aluminium	22	14/19
SET INDOOR PROMO	SEI005/06	207/210	PA 25 / 14/19 mm	Steel	22	14/19
SET LONG ARM CLICK	SEL005/SEL006	110/118	PA 16 mm	Aluminium	22	25

BELAY DEVICES	Code	Rope diameter (mm)	Weight (g)	Colour	Material
GYM	ZRB013	8.9 – 11	54	Blue	Aluminium
TWIN	ZRB019	7.8 – 10,5	76	Aqua / Black / Grey	Aluminium
EIGHT	ZRB001	9 – 11	104	Aqua	Aluminium
EIGHT BLACK	ZRB001	9-11	114	Black	Aluminium



ses

Harn

Helmets & Via Ferrata

Special Sets

Helmets

Carabiners & Belays

xpress & Open Slings

Cams & Stoppers

Ropes & Climbing shoes

Sramapons & Ice Axes

Sleeping bags


Accessories

Promo Material **EXPRESS SLINGS**

03 FUCHSIA

04 AQUA

06 LIME



***** **MADEIN * ** **EU** * *

CED011

Express Sling 13 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position. Material: Dyneema, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour	
CED011	11 cm	22 kN	13 mm	5	03/04/06	
CED018	18 cm	22 kN	13 mm	5	03/04/06	
CED026	26 cm	22 kN	13 mm	5	03/04/06	

^{*} Minimum / multiple Order Quantities



EXPRESS SLING PA 16 mm

CEA011

Express Sling 16 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position. Material: PA, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
CEA011	11 cm	22 kN	16 mm	5	03/04/06
CEA018	18 cm	22 kN	16 mm	5	03/04/06
CEA026	26 cm	22 kN	16 mm	5	03/04/06

^{*} Minimum / multiple Order Quantities



***** EXPRESS SLING PA 20 mm

CEP011

Express Sling 20 mm wide. Available in three lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position. Material: PA, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour	
CEP011	11 cm	22 kN	20 mm	5	23/04/08	
CEP018	18 cm	22 kN	20 mm	5	23/04/08	
CEP026	26 cm	22 kN	20 mm	5	23/04/08	
CEP031	31 cm	22 kN	20 mm	20+pre-order	23/04/08	

^{*} Minimum / multiple Order Quantities



*** EXPRESS SLING PROMO * **EU** * PA 25 mm



Express Sling 25 mm wide. Available in two lengths. The package includes an Anti Slip protective cup to fix the carabiner in the correct position. Material: PA, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
VEP010	14 cm	22 kN	25mm	5	13
VEP011	19cm	22 kN	25mm	5	13

^{*} Minimum / multiple Order Quantities

OPEN SLINGS





03 FUCHSIA



 $^{\star\star\star}_{^{\star}\text{MADEIN}\star} \overset{\text{OPEN SLING DYN 13 mm}}{\text{EU}}_{\star}^{\star}$ Open sling13 mm width.

Available in eight lengths. Material: Dyneema, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
COD031	31 cm	22 kN	13 mm	5	03/04/06
COD060	60 cm	22 kN	13 mm	10	03/04/06
COD080	80 cm	22 kN	13 mm	10	03/04/06
COD100	100 cm	22 kN	13 mm	5	03/04/06
COD120	120 cm	22 kN	13 mm	5	03/04/06
COD150	150 cm	22 kN	13 mm	5	03
COD180	180 cm	22 kN	13 mm	5	06
COD240	240 cm	22 kN	13 mm	5	04

* Minimum / multiple Order Quantities

04 AOUA





** * * * OPEN SLING PA 16 mm * EU *


COA031

Open sling 16 mm width. Available in seven lengths. Material: PA, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
COA031	31 cm	22 kN	16 mm	5	03/04/06
COA060	60 cm	22 kN	16 mm	10	03/04/06
COA080	80 cm	22 kN	16 mm	10	03/04/06
COA120	120cm	22 kN	16 mm	5	03/04/06
COA150	150cm	22 kN	16 mm	3	03
COA180	180cm	22 kN	16 mm	3	06
COA240	240 cm	22 kN	16 mm	3	04

* Minimum / multiple Order Quantities





		Krock
	The state of the s	The state of the s
08 BLACK		

$^{\star\,\star\,\star}_{^{\star\,\mathrm{MADE}\,\mathrm{N}\,\star}}$ OPEN SLING PA 20 mm $^{\star\,\mathsf{EU}\,\star}$

COP031

Open sling 20 mm width. Available in seven lengths. Material: PA, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
COP031	31 cm	22 kN	20 mm	5	23/04/08
COP060	60 cm	22 kN	20 mm	10	23/04/08
COP080	80 cm	22 kN	20 mm	10	23/04/08
COP120	120 cm	22 kN	20 mm	5	23/04/08
COP150	150 cm	22 kN	20 mm	3	08
COP180	180 cm	22 kN	20 mm	3	23
COP240	240 cm	22 kN	20 mm	3	04

Code	Length	Strength	Width	MOQ*	Colour
COP031	31 cm	22 kN	20 mm	5	23/04/08
COP060	60 cm	22 kN	20 mm	10	23/04/08
COP080	80 cm	22 kN	20 mm	10	23/04/08
COP120	120 cm	22 kN	20 mm	5	23/04/08
COP150	150 cm	22 kN	20 mm	3	08
COP180	180 cm	22 kN	20 mm	3	23
COP240	240 cm	22 kN	20 mm	3	04
* Minimum /	multiple Or	dar Ouantitia			

* Minimum / multiple Order Quantities

55




CON031

Open sling 10 mm width. Available in six lengths. Material: Dyneema, Norms: EN 566

Code	Length	Strength	Width	MOQ*	Colour
CON031	31 cm	22 kN	10 mm	5	05
CON060	60 cm	22 kN	10 mm	10	05
CON080	80 cm	22 kN	10 mm	10	05
CON120	120 cm	22 kN	10 mm	5	05
CON150	150 cm	22 kN	10 mm	10+pre-order	05
CON180	180 cm	22 kN	10 mm	10+pre-order	05

^{*} Minimum / multiple Order Quantities

OTHERS



B - min.: 20 cm

C - auxiliary loop: 18 cm

The PIP GUIDE is an upgraded version of the PIP positioning device, complete with an auxiliary loop for safe and convenient installation of a rappelling system. The PIP sling is adjustable from 20 to 100 cm. Adjusting the length is very easy, precise and smooth. The unique design allows for easy length adjustment even under heavier loads (weight of the climber, heavy pack, overhang suspension).

It is made of 8 mm thick dynamic rope and a durable stainless steel segment. Its design is highly functional and its use is very intuitive. Once attached, simply pull on the free end of the cord and pull it to the anchor point or release the tension by holding the device in the open position with the thumb lever. With extreme weight loads, it is possible to ease the release of the slack by using the beak of a second carabiner, similar to a Rock Empire TWIN type belay device.

The large connection hole with non-slip rubber part accommodates all sizes of locking carabiners.

Carabiner not included. Neither the PIP nor the PIP GUIDE are intended as fall arresters for use on via ferrata routes. Made in the Czech Republic.

Weight: 136 g Adjustable from 20 to 100 cm Material: Stainless Steel



CLP000 / CLP012

PIP is an adjustable positioning rope lanyard for attaching to anchors.

It is made of an 8 mm thick dynamic rope designed to absorb the force of a possible fall. Adjustable from 20 to 100 or 120 cm.

Adjusting it is very smooth. The unique design allows adjustment even under load. The metal component is made of stainless steel. Its design is unique. It attaches to the tie-in point of the harness with the loop. Once connected, simply pull on the free end of the lanyard to pull towards the anchor or release the tension by holding the device open with the thumb lever. Large connection hole with anti slip rubber piece accommodates all sizes of locking carabiners.

With only 120 grams, PIP is a light-weight, adjustable device. Available in two colors. Red and blue. Made in the Czech Republic. The carabiner is not part of the product. PIP is not intended for use on via ferrata routes.

Weight: 120 g Adjustable from 20 to 100 / 120 cm Material: Stainless Steel







**** WEBBING ON BOBBIN PA

ZEP004

Webbing on a Bobbin PA.

Webbing may contain up to maximum 3 cuts - not guaranteed to be one uninterrupted length of 100m.

Code	Width	Length	Strength	Material	Weight	Colour
ZEP004	12 mm	100 m	9.5 kN	PA / Nylon	23g/m	08
ZEP002	16mm	100 m	15 kN	PA / Nylon	36g/m	04
ZEP001	20 mm	100 m	15 kN	PA / Nylon	38g/m	08
ZEP003	25 mm	100 m	20 kN	PA / Nylon	42 g / m	09





DAISY CHAIN

CED110

Daisy Chain is an anchoring and connection device, which consists of 8 weight bearing loops. This unique sling can be used in a variety of ways while maintaining safety. Material: Dyneema, Norms: EN 566 Strength: Whole Sling 22 kN / Each Loop 3 kN

Available in two lengths.

an anchor including during work at heights.

Code	Length	Strength	Width	Colour
CED110	110 cm	22 kN	13 mm	04
CED140	140 cm	22 kN	13 mm	03



04 AQUA







This unique chain of textile loops offers safe and flexible use when connecting to

The Flexi Chain consists of 8 interconnected Dyneema slings with a total length of 80 cm without a carabiner.

Connecting the Flexi Chain to a climbing harness (alternatively to another anchoring or fastening device) is done by putting the bottom, longest loop of the Flexi chain through the harness belay loop or anchor point and then threading the end of that last Flexi Chain loop partially through the small opening on the last Flexi Chain. Then, the user should take the opposite end of the chain and pull it completely thru the opening created by the bottom longest loop (see instructions for use). This creates the necessary knot.

The Flexi Chain is a flexible anchoring and fastening device that allows you to easily select the appropriate length of Flexi Chain needed without the need to tie additional knots or use additional PPE.

The maximum strength of the Flexi Chain, as well as each individual Flexi Chain loop, is 24kN (2,4t,).

Code	Length	Strength	Width	Colour
CED080	80 cm	24 kN	13 mm	04
CED120	120 cm	24 kN	13 mm	06









SFX256

ROCK EMPIRE's Axel spring loaded camming device offers a double-axel design that offers flexibility in terms of expansion range and light weight. Each size comes with a colour-coded extendable dyneema sling. Available for purchase individually or as part of the 6 or 8 piece set.

8 Sizes.

One stem cam.

Double-axle design offers a wide range for each cam unit.

Extendable dyneema colour-coded slings and large loops for easy manipulation.

Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)	Norm
ZFX025	0.25	14-22	98	6	CE EN 12276
ZFX050	0.,5	16-27	100	7	CE EN 12276
ZFX001	1	18-31	110	8	CE EN 12276
ZFX002	2	22-38	116	8	CE EN 12276
ZFX003	3	27 - 47	134	9	CE EN 12276
ZFX004	4	35-60	164	9	CE EN 12276
ZFX005	5	46-80	212	14	CE EN 12276
ZFX006	6	64-108	254	14	CE EN 12276
SFX256	0.25-6	_	1 188	_	CE EN 12276
SFX016	1-6	_	990	_	CE EN 12276





* COMET X

ality and reliability.



Innovative and updated version of the popular Rock Empire friends, Comet, for securing yourself in the rocks and mountains. The new ergonomic design of the COMET X friend significantly increases handling and accuracy of placement and allows better accessibility even in hard-to-reach joints. The cross-fitting of the wire cables significantly improves the stability; it does not kink or deform and also contributes to a longer product life. COMET X Friends are light and easy to handle, and they are ideal for modern and classic climbing, wherever the weight of your material is as important as its function-

SFC258

The ergonomically shaped pull bar makes it easy to handle and set into the joints.

Cross-fitted wires for maximum stability of the segments.

Shaped thumb rest with non-slip grooves.

Colour-coded design for each size.

High quality Dyneema slings.

The set offers a selection of the most commonly used friend sizes.

Made in the Czech Republic - quality workmanship, long product life, service.

Certified according to EN 12276, as a part of climbing equipment - mechanical stoppers for

Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)	Norm
ZFP001	1	18,5-30,5	85	8	CE EN 12276
ZFP002	2	21-35	99	12	CE EN 12276
ZFP003	3	26-44,5	117	12	CE EN 12276
ZFP004	4	33-55	146	12	CE EN 12276



FLEXOR SET

SFF257

Flexor offers a flexible stem and is versatile with 10 sizes making it perfect for horizontal cracks. Extendable colour-coded dyneema slings and large loops make them easily identifiable.

10 Sizes.

Extendable dyneema colour-coded slings.

Large loops for easy manipulation.

Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)	Norm
ZFF025	0.25	12 – 16	78	7	CE EN 12276
ZFF050	0.5	14-20	84	9	CE EN 12276
ZFF075	0.75	16-23	86	10	CE EN 12276
ZFF001	1	19-28	100	11	CE EN 12276
ZFF002	2	22-34	108	11	CE EN 12276
ZFF003	3	27-44	118	11	CE EN 12276
ZFF004	4	33-53	154	12	CE EN 12276
ZFF005	5	43-68	176	12	CE EN 12276
ZFF006	6	55-88	224	12	CE EN 12276
ZFF007	7	70 – 110	280	12	CE EN 12276
SFF257	0.25-7	_	1 408	_	CE EN 12276



COMET SET

The Comet is a lightweight spring loaded camming device offered in wide range of sizes.

11 Sizes.

Light-weight.

Dyneema colour-coded slings and triggers.

Code	Size	Range min. / max. (mm)	Weight (g)	Strength (kN)	Norm
ZFC025	0.25	12 – 16.5	68	7	CE EN 12276
ZFC050	0.5	14-20	72	9	CE EN 12276
ZFC075	0.75	17 – 24	76	10	CE EN 12276
ZFC001	1	18.5 – 30.5	82	11	CE EN 12276
ZFC002	2	21 – 35	96	11	CE EN 12276
ZFC003	3	26-44.5	102	12	CE EN 12276
ZFC004	4	33-55	138	12	CE EN 12276
ZFC005	5	43-70	162	12	CE EN 12276
ZFC006	6	55-89	214	12	CE EN 12276
ZFC007	7	72-113	258	12	CE EN 12276
ZFC008	8	90 – 140	316	12	CE EN 12276
SFC255	0.25-5	_	796	_	CE EN 12276
SFC258	0.25-8	_	1 584	_	CE EN 12276



ABALAK SET

SFL016

The Abalak, a version of the English tricam, is a ROCK EMPIRE passive protection device and among the simplest and most eccentric of anchors. The Abalak can settle into rock fissures that have parallel sides either horizontally or vertically.

Abalak is well suited to small holes and fissures and, often, it is the only stopper that will work in such

Size F	ange min. / max. (mm)	Strength (kN)	Weight (g)	Norm
1	18-21	6	20	CE EN 12270
2	19 – 26	6	26	CE EN 12270
3	21 – 32	10	36	CE EN 12270
4	24 - 42	10	50	CE EN 12270
5	27 – 53.5	14	78	CE EN 12270
6	31 – 63.5	14	116	CE EN 12270

Note: Stoppers only sold in sets.



**** *MADEIN* *EU* VECTOR SET

SFV015

Asymmetric stoppers, 5 sizes, 4 different possible size placements.

6 Sizes. Weight: 172 g

Size	Strength A (kN)	Strength B (kN)	Weight (g)	Norm
1	8	5	26	CE EN 12270
2	10	10	28	CE EN 1227
3	12	10	32	CE EN 12270
4	12	10	38	CE EN 1227
5	12	12	50	CE EN 1227

Note: Stoppers only sold in sets.

HEX SET

SFH016

ROCK EMPIRE's Hex stoppers are great for wider cracks and offer a wide range of placements for many climbing conditions.

6 Sizes. Weight: 308 g

Size	StrengthA(kN)	Strength B (kN)	Weight (g)	Norm	
1	10	8	28	CE EN 12270	
2	10	8	32	CE EN 12270	
3	12	10	36	CE EN 12270	
4	12	10	46	CE EN 12270	
5	14	12	70	CE EN 12270	
6	14	12	90	CE EN 12270	

Note: Stoppers only sold in sets.

OTHERS



ZST002

Multifunctional tool suitable for placing and removing friends and cams.



Lightweight. Length:172 mm Weight: 32 g



NUT TOOL OPENER

ZST001

Multifunctional tool for retrieving climbing stoppers complete with a bottle opener.

Length: 202 mm Weight: 56 g



ALU NUT SET

SFA019

A combination of high-quality materials and a straight or slightly bent shape offer you great gear for protection in various cracks and scars. The slightly bent shape of the stoppers makes their placing easy and safe. These stoppers are manufactured from aluminium alloy.

9 Sizes. Weight: 290 gw

Size	Strength A (kN)	Strength B (kN)	Weight (g)	Norm
1	9	8	22	CE EN 12270
2	9	8	24	CE EN 12270
3	9	8	24	CE EN 12270
4	10	10	28	CE EN 12270
5	10	10	30	CE EN 12270
6	10	10	32	CE EN 12270
7	10	10	38	CE EN 12270
8	12	12	42	CE EN 12270
9	19	12	50	CE EN 12270

Note: Stoppers only sold in sets.

DYNAMIC ROPES



TANGO 9.8

ZLH050

A rope designed for sport climbing.

It has a small diameter, high abrasion resistance and long lifespan. Its low weight, higher fall rating and excellent ease of handling are all benefits to help you push your own limits.

Low weight.

Higher number of falls.

Excellent handling.

Complete Shield or Standard.





STRIKE 9.4

ZLE050

An excellent single rope with low weight, great technical parameters and a simple braiding system (SBS) of the sheath, which makes the rope not only more resistant to abrasion, but also soft and easy to manipulate. The best choice for both performance and sport climbing.

Simple knitting system, each strand is woven into the sheath separately, Higher abrasion resistance of the rope, Better mechanical properties - flexibility),

STATIC ROPES





ZLS030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue. The thicker the diameter, the stronger the rope.

New marking for 10 mm ropes. The change will apply to all our ropes during 2025.







* MADE IN *

**** STATIC ROPE 10.5 MM

ZLT030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue.

New marking for 10.5 mm ropes. The change will apply to all our ropes during 2025.







ZLK030

Heavy-duty rope with low elongation and high static strength, intended primarily for work at heights and for rescue. The thicker the diameter, the stronger the rope.

New marking for 11 mm ropes. The change will apply to all our



DYNAMIC ROPES	Code Standard	Code Complete Shield	Length (m)	Rope Diameter (mm)	Weight g/m	Number of UIAA Falls	Max. Impact Force (kN)	Sheath Slippage E (%)	Static Elongation (%)	Dynamic Elongation (%)	Knotability	Colours	Norms	w Products
STRIKE 9.4	ZLE050 ZLE060 ZLE080 ZLE100	ZLI050 ZLI060 ZLI080 ZLI100	50 60 80 100	9.4	58	6	7	0	6.2	37	0.9	Lime	CE EN 892	Harnesses New
TANGO 9.8	ZLH050 ZLH060 ZLH080 ZLH100	ZLB050 ZLB060 ZLB080	50 60 80 100	9.8	64	9	7.1	0	6.2	35	0.8	Blue	CE EN 892	Helmets &

STATIC ROPES	Code	Length (m)	Rope Diameter (mm)		Number of Falls Min.	Strength (kN)	Min. Strength with Knots (kN)	Sheath Slippage (mm)	Static Elongation (50 – 150 kg) (%)	Material	Туре	Colours	Norms	
	ZLS030	30										White		
STATIC ROPE	ZLS060	60	10	69	20	31	17	4	3.4	PA	Α	Red	CE EN 1891	
10 MM	ZLS100	100	10	00	20	31	11	7	0.4	17		Blue	OL LIV 1001	
	ZLS200	200										Black		
	ZLT030	30												-
071710 0005	ZLT060	60										White		
STATIC ROPE	ZLT080	80	10.5	72	20	32	18	3	3.4	PA	Α	Red Blue	CE EN 1891	
10.5 MM	ZLT100	100										Black		
	ZLT200	200										Diadit		
	ZLK030	30										White]-
STATIC ROPE	ZLK060	60	11	80	20	33	20	5	3.3	PA	Α	Red	CE EN 1891	
11 MM	ZLK100	100	11	60	20	33	20	i)	3.3	rΑ	А	Blue	CE EN 1891	
	ZLK200	200										Black		

CLIMBING SHOES

SHOGUN

ZBS003

A simple lace shoe constructed specially for beginners and intermediate climbers. A medium soft shoe that will give comfort for a long day of climbing.

The laces allow the shoe to fit a wide variety of feet, so it is a perfect for rentals and gyms. It is suitable for indoor and outdoor climbing.





* * * * * MADE IN * * **EU** *

KANREI

ZBK003

Universal shoe designed for advanced climbers. It's a perfect balance of comfort, durability, value and high performance.

It is suitable for all kinds of rock.

											SIZE	CHAR	RT – C	LIMBII	NG SF	HOES											
EUR	34	34.5	35	35.5	36	36.5	37	37.5	38	38.5	39	39.5	40	40.5	41	41.5	42	42.5	43	43.5	44	44.5	45	45.5	46	46.5	47
UK	1.5	2	2.5	3	3 1/4	3.5	4	4.5	5	5 1/4	5,5	6	6.5	7	7 1/4	7.5	8	8.5	9	9 1/4	9.5	10	10.5	11	11 1/4	11.5	12
US	2.5	3	3.5	4	4 1/4	4.5	5	5.5	6	6 1/4	6,5	7	7.5	8	8 1/4	8.5	9	9.5	10	10 1/4	10.5	11	11.5	12	12 1/4	12.5	13

ZTC001

ZAM002











EXTRA SIZE **BAR INCLUDED**

Weight: 980 g (pair)

Size:

One size (fits 36 - 48 EU with included size bars)

185×138 cm Antiboot: Material: Steel and plastic EN 893 Norms:

MACHKI ZTM001

Twelve, steel-point, ice climbing crampons with a universal binding. They are suitable for trekking, climbing and ski alpine activities. The crampons come with two extra size bars for extending the size up to 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons bag (Code: ZAM001) designed especially for storing and keeping your crampons safe.

Antiboot on the bottom of the plastic prevents snow from accumulating while walking.

Plastic fastening in front and back allows quick and firm fit on any shoe and is extremely gentle on trekking boots.

The strap system is sewn together with the plastic. The embossments in the front spikes make them more rigid and prevent springing for greater sense of confidence when climbing a rock.

Thanks to the flexible locking and the double size of the adjusting plate, the desired length of the climbing irons can be comfortably adjusted in the size range of 36 - 48 EU. Replacement Size Bars can be purchased separately.







LOCKING SYS-

Weight: 1 036 g (pair)

One size (fits 36 – 48 EU with included size bars) Size:

Antiboot: 185×138 cm Material: Steel and plastic EN 893 Norms:

MACHKI EXPERT

ZTM002

Designed for more advanced users, the Machki EXPERT has a semi-automatic locking system with metal bars at the heel. Made to fit technical mountain boots, the crampon has twelve steel-points and comes with two extra size bars for extending each crampon up to size 48 EU. To protect the crampons and other gear, we recommend purchase and use of the ROCK EMPIRE Crampons Bag (Code: ZAM001) designed especially for storing and keeping crampons safe.

Their advantage is a semi-automatic quick-release system at the heel, which together with the front arrestment and adjusting plate of double size ensures a comfortable adjustment of the required length of climbing irons in the size range of

The strap system is sewn together with the plastic. The embossments in the front spikes make them more rigid and prevent springing for greater sense of confidence when climbing a rock.

Antiboot on the bottom of the plastic prevents snow from accumulating while walking. Replacement Size Bars can be purchased separately.

CRAMPON BAG

ZAM001

Practical packaging for Machki, adapted for manipulation with gloves.

Zip fastening is connected by a strap, for faster and easier opening and closing (even without removing winter gloves).

Weight: 128 g Length: 400 mm Width: 150 mm Depth: 90 mm



CHACKAN

Light weight ice axe for trekking and mountaineering. Leash attached.

Additional leashes (ZOC001) can be purchased separately. Classic ice ax for mountaineering.

440g (60cm) Weight: Length: 55, 60, 65 cm AL 7075 Handle: Head: Steel Type: EN 13089 Norms:

CHACKAN SKI

ZTC002

New, lightweight tourist ice axe with an ergonomic curve for a wide range of applications. Leash attached. Additional leashes (ZOC001) can be purchased separately. Three handle lengths. Classic ice ax for VHT and mountaineering.

438 g (60 cm) Weight: Length: 55, 60, 65 cm AL 7075 Handle: Steel Head: Type: EN 13089 Norms:

GAITERS

Leg protectors made of durable material. Protectors are fitted with an easy to use front zipper with a cover and hook. Protectors prevent penetration of snow and wetness from below the knee and cover the top of a boot. They are ideal for summer mountain trips and an excellent protection against mud, dirt and snow. Compared to conventional gaiters, ours have a hypalon strap. The material is noted for its strength and durability. It is designed to withstand the sharp points of crampons.

Shoe size: S 36-39 (EU), M 40-43 (EU), L (44-47 (EU)

Weight: 220 g (pair) Black, Dark grey Colour:

Material: 450D PES Ripstop, PU Coating





62

ZCC001

MONTANA ZCM002

Montana - 17 is the warmest sleeping bag from the Rock Empire® line. This icebreaker is not very compact, but on the other hand it provides excellent thermal comfort even during long-term stays in frozen and humid conditions. The three-layered synthetic insulation comprised of THERMOLITE® hollow fibers is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is relatively light and shrinks in its compression bag.

Montana -17 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

Great thermal comfort.

Two-way YKK zipper with fluorescent cord stopper and insulated facing. Insulated inside cuff with pocket. Ability to join two sleeping bags. Water-repellent upper material. Easy to maintain, quick to dry.

Filling: THERMOLITE QUALLO 180g/m2 x 3 Outside material: Polyester 68D 210T Diamond + W/R + Double Cire Inner material: Polyester 75D 210T Pongee



ARKTIDA ZCA001

A comfortable sleeping bag, the Arktida Rock Empire is primarily intended for use under cold and wet conditions. The synthetic insulation comprised of THERMOLITE® hollow fibers is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into medium-sized backpacks.

Arktida is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite quards

The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket. Ultralight compression bag.

Insulated inside cuff with pocket.

Water-repellent treatment.

Material is pleasant to the touch.

Easy to maintain and quick to dry.

Filling: Thermolite Quallo 160 g/m2 x 2 Outside material: 44D 260T Nylon Tactel Ripstop W/R Double Cire Inner material: 44D 237T Nylon Tactel Taffeta W/R Cire

ARKTIDA LADY ZCA009



be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping

Thermal comfort.

YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length. Allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket.

Ultralight compression bag.

Insulated inside cuff with pocket.

Water-repellent treatment.



CYKLOTOUR

zipping up opposite guards.

Rock Empire Cyklotour - 2 is a three-season sleeping bag with excellent technical parameters at a reasonable price. The synthetic insulation comprised of THERMOLITE® hollow fibres is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into smaller backpacks. Cyklotour-2 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by

The upper material of the sleeping bag has a ripstop finish to increase mechanical resistance and is enhanced with a water-repellent treatment.

Three-season use while maintaining compact dimensions and reduced weight. YKK two-way zipper with fluorescent cord stopper and insulated facing along the whole length. Allows 2 sleeping bags to be zipped together or to be fully unzipped for use as a blanket. Ultralight compression bag. Insulated inside cuff with pocket. Water-repellent treatment. Material is pleasant to the touch. Easy to maintain and quick to dry.

Filling: Thermolite Quallo 200 g/m2 x1 Outside material: Nylon 44D 260T Tactel Ripstop W/R+ double cire Inner material: Polyester 50D 300T



BIKE

ZCK002


Rock Empire Bike +2 is an ultralight and compact sleeping bag for warm summer nights or indoor use. The synthetic insulation comprised of THERMOLITE® hollow fibres is characterised by a high loft and durability, maintaining its original thermoinsulating properties for a long time. At the same time, the sleeping bag is light and shrinks significantly in its compression bag. This makes it easy to fit into even smaller backpacks or

Bike +2 is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can be sure a broken zip won't leave you in the cold. The zipper also runs through the bottom of the sleeping bag, allowing you to fully unzip it and use it as a blanket. If required, you can join two sleeping bags together by zipping up opposite guards.

Filling: Thermolite Quallo 125g/m2x1 Outside material: Polyester 68D 210T Diamond + W/R + Double Cire Inner material: Polyester 75D 210T Pongee

	ar (D) speaker
1/2/4	

Filling: Thermolite Quallo 160 g/m2 x 2 Outside material: 44D 260T Nylon Tactel Ripstop W/R Double Cire Inner material: Polyester 75D 210T Pongee



Arktida – 9 Lady is fitted with a YKK zipper, known around the world as the highest quality zippers. So you can up opposite guards.

Extra insulation in the feet area.

Material is pleasant to the touch.

Easy to maintain and quick to dry

SLEEPING BAGS	Code	Temperatures°C Comfort / Limit / Extreme		Parameters (cm)	Weight (g)	Cover (cm)	Zipper
MONITANIA	ZCM002	10 / 17 / 20	Regular	205×80×50	2435	51×28	Laft / Dialat
MONTANA	ZCM003	-10 / -17 / -38	Long	230×80×50	2550	56×32	Left / Right
	ZCA001		Small	195×75×48	1400	43×20	Left
ARKTIDA	ZCA002	-3 / -9 / -28	Regular	205×80×50	1502	46×24	Laft / Diala
	ZCA003		Long	230×80×50	1960	46×26	Left / Right
ARKTIDA LADY	ZCA009	-3 / -9 / -28	Small	190×75×48	1675	45x21	Left / Right
	ZCA010		Regular	200×80×50	1778	46x24	Left / Right
	ZCC001		Small	195×75×48	1240	41×18	Left
CYKLOTOUR	ZCC002	+4/-2/-18	Regular	205×80×50	1290	43×19	Left / Right
	ZCC003		Long	230×80×50	1460	43×20	Lett / Right
BIKE	ZCK002	+7 / -2 / -13	Regular	220×80×50	1035	42×18	Left / Right

CHALK BAGS







A simple, durable backpack for rock and sport climbers, which is the ideal compromise between a robust pull bag and rock bag. It offers a completely removable back piece, which is always on the top of the backpack during use, so it will prevent your clothes from getting dusty.

At first glance, it looks like a compact bag but it has capacity for an 80 to 100m rope plus a generous amount of climbing equipment for sport climbs (for example, two pairs of climbing shoes, a harness, a set of quick draws, belay device, snacks, a climbing guide and some clothes). The backpack contains two inner loops and one outer loop, so material can be better organized and quickly found.

The outer pocket in the lid has a removable seat made of pleasant PE foam. Thanks to a stable construction and a large opening, the rope can be used directly from the backpack. Just drag and drop the rope straight in. This makes it unnecessary to use a tarp for a rope. The basic idea is that the rope is on the bottom and the other things on top.

CSL004

Material: PES, PAD, YKK zip Weight: 836 g







Carry bag backpack used to carry loads.

Lightweight, waterproof material. Adjustable shoulder straps. Two handles for easy carrying and lifting. Drawstring for closing. Drain hole in the bottom of the bag for easy drainage

Long strap for hanging. Available in two sizes 35 and 55 liters.

CWV055

Material: Polymer Weight: 350 and 450g

Code	Size
CWV035	351
CWWOSE	551





* MADE IN *
* **EU** *

CHALK BAG ARCO BLACK

Chalk Bag for lovers of black color.

Inner material fleece. Equipped with a practical brush holder loop.



New Chalk bag with unique printing design.

Elastic brush holder for more comfort when cleaning

CHALK BAG BASIC

Double loops for stable attachment to the waist belt.

Stylish and practical chalk bags in an elegant gray color

Inner material: soft fleece for even chalk application

- matching the new Streak and Nox harnesses.

VSC016

Size: 16 x 12 cm Weight: 81 g

VSC019

Size: 16 x 12 cm Weight: 98 g

Textile loop for brush. Each bag includes a 10 mm strap with a quick-re lease buckle for comfortable attachment around the waist.


VSC002

Chalk Belt can be purchased separately,

Size: 16 x 12 cm

Weight: 88 g

code:VSB002





***** CARGO ROLL An improved carry bag that comfortable enables you to carry your load on your back.

> The bag closes by rolling down the opening and fastening it closed with a light-weight aluminium buckle.

easy carrying. Adjustable shoulder strap. One long strap for hauling. One size 55 liters.

CVR055

Material: Polymer Weight: 805g





Magnesium bag of larger dimensions for bouldering on the stones and in the hall.

Two handles for a comfortable fit. Very stable on the ground, wide enough. Simple roll closure with buckle. Inside soft fleece.

Large pocket on the front of the boulder bag. Velcro closure.

Elastic loops for brushes of various sizes or hanging other accessories. 4 loops on the front and 4 on the back.



Material: Nylon, Polymar Size: 22 x 22 x 17 cm Weight: 264 g















MAGNESIUM CUBE

Quality magnesium.

Suitable for use in rocks and climbing walls.

ZSM005

Weight: 56 g





MAGNESIUM BALL

ZSM004

High-quality magnesium filled into a textile wrap in the shape of a ball.

Weight: 35 g

ZSM007

Weight: 40g

The magnesium remains enclosed in a flexible breathable ball that is inserted directly into the magnesium

MAGNESIUM BALL REFFILABLE

Suitable for use in rocks and climbing walls. Thanks to the tightening closure can be refilled.

Quality magnesium in a re-fillable and re-useable cloth

Suitable for use in rocks and climbing walls.



MAGNESIUM LIQUID * MADE IN *

This quality liquid magnesium is designed for climbing on rock, indoor climbing and boulders.

It has a low alcohol content and is gentle on your skin.

Volume: 200 ml Weight: 192 g

ZSM008

OTHERS





**** CLIMBING TAPE

White climbing tape designed to protect climber's fingers. Offers a strong, non-allergenic adhesive that will not leave residue on your fingers.

Textile static material does not restrict blood circulation.

ZST006

Width: 25 mm Length: 10 m Weight: 42g

Suitable for use in rocks and climbing walls.

BRUSH STRAIGHT

A brush that will reliably clean the chalk and dust off your climbing holds.

Long-term, durable materials.


Boar's hair bristles can clean holds or rocks without damage, and are also great at absorbing moisture or

ZSB005

Does not damage holds or rocks.

Grip: Plastic Material: Wild boar hair

bristles Dimension: 18 cm length x 1 cm head Weight: 35.2g





MAGNESIUM CONTAINER

ZSM006

100 grams of high-quality magnesium in a screw box.

Weight: 100g



BRUSH CURVED

A brush with an average-sized head. Reliably cleans chalk and dust off holds.

Long-term, durable materials. Does not damage holds or rocks.

Boar's hair bristles can clean holds or rocks without damage, and are also great at absorbing moisture or oils.

ZSB004

Grip: Plastic Material: Wild boar hair bristles Dimension: 18 cm length x 3 cm head at the widest Weight: 29 g



LADDER



ANCHOR CHAIN

A stainless steel chain complete with two opposing

Plaque made of galvanized steel suitable for artificial

The solid steel core and the corrosion-resistant zinc

surface ensure the long life of the anchor plaque. Fixed

carabiners and two galvanized bolts hangers.

For climbing walls.

HANGER C

anchor point.

A compact ladder with an innovative design, suitable for both sports and work use - now available in a striking red color. This ladder stands out for its low weight, comfort of use, and durable construction. The main difference from previous models is the **reinforced** individual steps. Thanks to this reinforcement, the entire ladder retains its shape making it easier to insert the foot when climbing and is more durable The top look is also equipped with a smaller loop suitable for temporarily hanging equipment or tools.



Length: 140 cm Max. load weight: 400kg Weight: 229 g



HELPER

ANTI SLIP 12 PACK

position and protects the rope.

Model

HELPER plastic carabiner is used as a material carrier.

It can be easily attached to the shoulder or lumbar

The inside of the carabiner is adapted for fixation with a side harness strap and some backpacks. Attention: HELPER is not a strong carabiner! (Maximum load 5 kg).

Multifunctional rubber protector for work harnesses

Anti Slip fixes the carabiner or clutch in the correct

Anti Slip R.E. 10

Anti Slip R.E. 13

Anti Slip R.E. 16

Anti Slip R.E. 22 22 mm

13 mm

16 mm

ZSD001

Material: plastic Maximum load: 5 kg Weight: 28 g

ess

Si

SEA010



Weight: 33 g

ZRN001

Fixing hole diameter:

Material: Stalinless steel

Strength: 25 kN

Norm: EN 959,

Weight: 710 g

EN 12275

ZRB015

Strength: 25 kN

Weight: 60 g

Fixing hole diameter:

Material: Galvanized steel

Norm: EN 959, EN 795

(304)

PROMO MATERIAL

CLOTHING



T-SHIRT RE

and lanyards.

Code

SEA010

SEA013

SEA016

SEA022


T-shirt with seamless double-stitched 7/8p collar, reinforced neck and shoulders, double-stitched sleeves and bottom hem.

Sizes: S, M, L, XL, XXL, 3XL, 4XL, 5XL

ZPT013/014

Material: 90% cotton, 10% polyester 170 g/m2

SOLAR RE




Textile sizes: Universal

ZPC002

Material: 100% cotton, 180 g/m2

HANGER W



ZRB017 Strength: 26 kN

Fixing hole diameter: 12 mm Material: Stainless steel Weight: 47 g



SCARF

Multifunctional scarf that can be used as a neck warmer, hat or hood. Seamless cut, breathable and machine washable material.

Textile sizes: Universal

ZPS006

Weight: 280 g/m² Brand: Beechfield Material: 100% polyester Colour: Black



MARKETING SUPPORT

Our marketing support is offered to all customers who send 2026 pre-orders. We offer our business partners a marketing budget as percentage

On the pre-order form to be sent in July, the customer will be able to choose specific from these promotional items shown below to be delivered with the ordered goods.

Promotional items are shown below but final offerings may vary.



BEACH FLAGS RE

The reinforced construction makes the flags easy to install and store It can be used both indoors and outdoors, either alone

or as an addition to a tent or other product Available in two sizes S and L. Accessories:

Ground stake - 60 cm for size L Steel base - 20x20 cm - for size S

The material is water-resistant and wind-permeable.



Experts at heights



Experts at heigh

STICKERS RE SPORT / WORK

RE stickers with white background. Paper with glossy lamination. Also suitable for outdoor

Size sport: 10 x 6 cm Size work: 10 x 6 cm

ZPS004/05

Material: Paper with

Material: Cardboard L: 2x1 m, S: 1x0,5 m

ZPS007



empire

BANNERS RE

PVC banner 510g/m2, set of welded edges and stainless steel eyelets of 40 cm each.

For indoor and outdoor use.

Size S: 45 x 100 cm



ZPB002

80% 90%

Flag dimensions

S: 48×220 cm,

L:77×360 cm

Material: Aluminium Alloy Flag: flag fabric (115 g/

m2), 100% PES, overprint

Density: 510 g/m2 Tensile strength 1800N/5 cm

STICKERS RE CLASSIC

RE stickers with white background.

S: 9,5 x 3,3 cm, L: 12,5 x 4,5 cm

Size L: 100 x 200 cm



OTHERS

PLASTIC HARNESS STAND

CARDBOARD PROMO STAND

An eye-catching promotional stand made from sturdy

cardboard. Its attractive design instantly grabs cus-

tomers' attention. Lightweight and easy to transport,

yet stable enough for everyday use. Perfect for trade shows, promotional events, or retail environments.

Set of three plastic stands suitable for sport harnesses, work positioning harnesses, and full-body harnesses. Ideal for displaying harnesses in a shop or during presentations.

Each stand can be hung using the integrated hook or placed on the floor or table thanks to the detachable legs. They are stable, lightweight, and easy to disassemble for transport.

ZPS008/09/10

Material: Transparent plastic Sport (HxW): 38 x 44 cm Work (HxW): 40 x 50 cm Full body (HxW): 78 x 53 cm

ZPK002

Keyring in a wedge-shaped shape in bold colors, everyone knows where your heart is going.

KEY RING ALU

The right keyring item, thanks to this pendant you will always know your bunch of keys.

Material: Aluminium Alloy

Weight: 10g

Original decoration of your car keys.

VPK001

The right keyring item, thanks to this pendant you will always know your bunch of keys. Original decoration of your car keys. Alternatively, you can use it instead of a torn zip fasten-

STICKERS RE CROSS

Cut sticker. Paper with glossy lamination. Also suitable

Paper with glossy lamination. Also suitable for outdoor

S: 3,5 x 3,5 cm, L: 15 x15 cm

for outdoor use.

ZPS003

ZPS002

Material: Paper with

Material: Paper with lamination.





Loop-shaped keyring in bold colors, everyone knows where your heart is going.

er on your jacket or backpack.

72

. E



O zero

QB BELT

Are your pants falling down? Rock Empire belt will help you with it:)

Connectable with Work Bag.

VSB003

Material:PA Weight: 76 g

Made in EU

Quality

We have been developing and producing top-quality climbing equipment for almost 30 years. Our philosophy is to produce functional, high quality and durable products. We don't have to be the biggest producer on the market, but we do want to maintain the top-notch quality of our products in the long-term, alongside clever innovations.

Development and production in the cradle of classical sandstone climbing

Our offices are in the heart of Czech sandstone climbing, the Elbe River Valley. The development, design and production of most of our products are in the hands of people who live for the mountains and climbing. Our developers are experienced climbers, expert engineers, in short they're real enthusiasts pouring their hearts and souls into the work.

We also have extensive testing facilities, which allow us to simulate various types of falls and harness failures and to stress-test straps, belts and carabiners.

Production

In our Děčín workshop we focus primarily on sewn products – harnesses, gear, straps, quickdraws, bags and much, much more. Each and every one of our several dozen seamstresses specializes on a certain operation and can manage not just mass production, but also more special custom-made products.

From our annual turnover, over 70% of the assortment is produced in the Czech Republic, from sewn harnesses, straps and lanyards, through work and sports harnesses, to friends, ropes and climbing shoes.

We continue to produce all harnesses and slings with the greatest of care at our factory and work closely with top quality suppliers for additional products that we offer with pride.

Thank you for making our successes possible and we look forward to the future with you helping us create and innovate.











SPORT CATALOG 2025 - 2026

ROCK EMPIRE s. r. o.

Ústecká 1918 / 95, 405 02 Děčín, Czech Republic Phone: +420 412 704 168 · E-mail: info@rockempire.com

PRODUCTION ROCK EMPIRE TEAM

TECHNICAL CONSULTANTS: Jan Zíma, Zbyněk Homola, Amy Veselá

EDITOR: Eva Bellová

PHOTO: Rock Empire

DESIGN AND TYPE SETTING: Eva Bellová



SYSTEM OF THE MANAGEMENT HAS BEEN ASSESSED AND FOUND TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE STANDARDS ISO 9001:2008

CLIMBING, SPELEOLOGY, CANYONING, WORKING AT HEIGHTS AND SIMILAR ACTIVITIES ARE DANGEROUS AND CAN CAUSE INJURY OR DEATH. EVERY USER IS RESPONSIBLE FOR THE RIGHT AND SAFE USE OF ALL PRODUCTS DESIGNED FOR THIS KIND OF ACTIVITY. WE DO NOT TAKE ANY RESPONSIBILITY IN CASE OF CHANGES TO TECHNICAL PARAMETERS OF OUR PRODUCTS. MISPRINTS AND CHANGES RESERVED.

